

Overview

A durable keyboard that maximizes PC productivity

Lasting quality and full functionality combine to deliver maximum value in a keyboard built for productivity. The HP Keyboard 100 has all you need and more, with a full range of keys, comfortable profile, and simple setup. Plug in and get typing with a tool built for your needs.

All the keys

Features a full range of 109 keys, including 12 working function keys and 3 hot keys.[1]

Designed for comfort

Natural contours and shape allow the keyboard to sit in a comfortable position for your wrist and hands.

Simple setup

Connection is a breeze with USB connectivity so you can get up and running fast.

Features

Built to last

A durable design that holds up to the demands of every day computing.

Separate typing angles

Find a comfortable position with easy to use height adjustment.

Numeric keypad

A full-size numeric keypad allows for easy data entry.

Bold key labels

Keys are clearly labeled so that you won't miss a letter and can type easily.

[1] Number of keys varies by country.

Specifications

| Minimum dimensions (W x D x H) 17.7 x 5.81 x 1 in Weight 0.49 kg Weight 1.08 lb Package dimensions (W x D x H) 46.5 x 17 x 3 cm Package weight 0.6 kg Minimum System Requirements Available USB port. Minimum System Requirements (A2M) 194850790850; (A2Q) 194850790959; (ABD) 192018069220; (AB2) 192018069227; (ABB) 1948507906067; (ABB) 1948507906607; (ABB) 1948507906607; (ABB) 1948507906607; (ABB) 1948507906607; (ABB) 1948507906607; (ABB) 1948507906607; (ABB) 1948507906609; (ABD) 1948507906609; (ABD) 1948507906609; (ABD) 1948507906609; (ABD) 1948507906609; (ABD) 1948507906609; (ABD) 194850790676; (ABD) 194850790706; (ABD) 194850790706; (ABD) 194850790706; (ABD) 194850790706; (ABD) 194850790706; (ABD) 1948507906609; (ABD) 19485079077; (ACO) 194850790067; (ACO) 194850790676; (ACO) 194850790676; (ACO) 194850790676; (ACO) 194850790609; (AKD) 194850790809; (AKD) 194 | | |
|--|--|---|
| Weight 1.08 lb Package dimensions (W x D x H) 46.5 x 17 x 3 cm Package weight 0.6 kg Minimum System Requirements Available USB port. Minimum System Requirements (A2M) 194850790850; (A2Q) 194850790959; (ABD) 192018069220; (AB2) 192018069223; (ABB) 194850790362; (AB7) 194850790560; (ABB) 192018069223; (ABB) 194850790667; (ABB) 194850790966; (ABB) 194850790546; (ABL) 192018069206; (ABM) 192018069251; (ABN) 194850790669; (ABV) 194850790669; (ABV) 194850790669; (ABV) 194850790669; (ABV) 194850790667; (ABV) 194850790669; (ABV) 194850790669; (ABV) 194850790667; (ABV) 1948507906614; (ACJ) 194850790677; (ACO) 1948507909614; (ACJ) 192018069268; (ACB) 194850790980; (AKB) 1948507909806; (AKD) 1948507909806; (AKD) 1948507909806; (AKD) 194850790812; (AKQ) 194850790867; (BCM) 1948507900812; (AKQ) 194850790867; (BCM) 1948507900879; (BED) 1948507900812; (AKQ) 194850790867; (BCM) 1948507900879; (BED) 1948507900819; (BT) 194850790867; (BCM) 194850790645; (UUZ) 194850790638 Warranty Peace-of-mind coverage: Rest easy with an HP standard one-year limited warranty. | Minimum dimensions (W x D x H) | 45 x 14.75 x 2.53 cm |
| Weight 1.08 lb Package dimensions (W x D x H) 46.5 x 17 x 3 cm Package weight 0.6 kg Minimum System Requirements Available USB port. (A2M) 194850790850; (A2Q) 194850790959; (ABD) 192018069220; (ABZ) 192018069227; (ABG) 194850790362; (ABT) 194850790560; (ABB) 194850790560; (ABB) 194850790560; (ABB) 194850790676; (ABD) 194850790676; (ABD) 194850790676; (ABD) 194850790676; (ABD) 194850790676; (ABD) 194850790713; (ABS) 194850790690; (ABT) 194850790676; (ABU) 194850790676; (ABU) 194850790676; (ABU) 194850790676; (ABU) 194850790690; (ABT) 194850790676; (ABU) 194850790676; (ABU) 194850790676; (ABU) 194850790676; (ABU) 194850790676; (ABC) 194850790676; (ABC) 194850790676; (ABC) 194850790676; (ABC) 194850790676; (ABC) 194850790874; (AK) 194850790812; (ACQ) 194850790874; (AKD) 194850790806; (AKD) 194850790812; (AKD) 194850790812; (AKD) 194850790812; (AKD) 194850790812; (AKD) 194850790812; (AKD) 194850790812; (AKC) 194850790812; (AKD) 194850790812; (AKD) 194850790812; (AKD) 194850790813; (BT) 19485079081; (BT) 19485079081; (BT) 194850790813; (BT) 19485079081; (BT) 194850790867; (BCM) 19485079081; (BT) 194850790867; (BCM) 19485079081; (BT) 19485079081; (BT) 19485079081; (BCM) 194850790618; (UUZ) 194850790638 Warranty Peace-of-mind coverage: Rest easy with an HP standard one-year limited warranty. | Minimum dimensions (W \times D \times H) | 17.7 x 5.81 x 1 in |
| Package dimensions (W x D x H) 46.5 x 17 x 3 cm Package weight 0.6 kg Minimum System Requirements Available USB port. (A2M) 194850790850; (A2Q) 194850790959; (ABO) 192018069220; (AB2) 192018069237; (AB6) 194850790362; (AB7) 194850790560; (ABB) 194850790560; (ABB) 194850790661; (ABF) 194850790662; (ABD) 194850790621; (ABF) 194850790661; (ABH) 19485079061; (ABF) 194850790386; (ABH) 194850790584; (ABL) 192018069206; (ABM) 192018069251; (ABN) 1948507907076; (ABU) 194850790676; (ABU) 194850790676; (ABU) 194850790676; (ABU) 194850790577; (ACO) 1948507907076; (ABY) 1948507907070; (ABZ) 194850790577; (ACO) 194850790355; (AC3) 194850790577; (ACO) 194850790614; (ACJ) 192018069244; (ACQ) 194850790874; (AK9) 194850790980; (AKB) 194850790836; (AKC) 194850790737; (AKD) 194850790836; (AKC) 194850790812; (AKU) 194850790843; (B13) 194850790837; (AKS) 194850790881; (B1T) 194850790843; (B13) 194850790973; (BED) 194850790839; (UUF) 192018069213; (UUW) 194850790638 Warranty Peace-of-mind coverage: Rest easy with an HP standard one-year limited warranty. | Weight | 0.49 kg |
| Package weight 0.6 kg Minimum System Requirements Available USB port. (A2M) 194850790850; (A2Q) 194850790959; (ABD) 192018069220; (AB2) 192018069227; (ABB) 194850790362; (AB7) 194850790560; (ABB) 194850790560; (ABB) 194850790652; (ABB) 194850790666; (ABD) 194850790652; (ABB) 194850790666; (ABD) 194850790348; (ABE) 194850790621; (ABF) 194850790386; (ABH) 194850790584; (ABL) 192018069206; (ABM) 192018069251; (ABN) 194850790713; (ABS) 194850790690; (ABT) 194850790676; (ABU) 1948507907069; (ABV) 194850790698; (ABW) 194850790669; (ABV) 194850790683; (ABX) 194850790706; (ABV) 194850790720; (ABZ) 194850790577; (ACO) 194850790355; (AC3) 194850790546; (AC4) 192018069268; (ACB) 194850790980; (AKB) 194850790553; (AKC) 194850790874; (AK9) 194850790980; (AKB) 194850790553; (AKC) 194850790812; (AKQ) 194850790891; (AKE) 194850790805; (AKN) 194850790812; (AKQ) 194850790891; (AKB) 1948507908067; (BCM) 194850790997; (BED) 1948507908929; (UUF) 192018069213; (UUW) 194850790645; (UUZ) 194850790638 Warranty Peace-of-mind coverage: Rest easy with an HP standard one-year limited warranty. | Weight | 1.08 lb |
| Minimum System Requirements | Package dimensions (W x D x H) | 46.5 x 17 x 3 cm |
| (A2M) 194850790850; (A2Q) 194850790959; (AB0) 192018069220; (AB2) 192018069237; (AB6) 194850790362; (AB7) 194850790560; (AB8) 194850790652; (AB9) 194850790607; (ABB) 194850790966; (ABD) 194850790348; (ABE) 194850790621; (ABF) 194850790386; (ABH) 194850790584; (ABL) 192018069206; (ABM) 192018069251; (ABN) 194850790713; (ABS) 194850790690; (ABT) 194850790676; (ABU) 194850790669; (ABV) 194850790683; (ABX) 194850790706; (ABY) 194850790669; (ABV) 194850790577; (ACO) 194850790355; (AC3) 194850790546; (AC4) 192018069268; (ACB) 194850790614; (ACJ) 192018069244; (ACQ) 194850790874; (AK9) 194850790890; (AKB) 194850790853; (AKC) 1948507908737; (AKD) 194850790836; (AKR) 194850790879; (AKS) 194850790812; (AKQ) 194850790843; (B13) 194850790973; (B15) 194850790881; (B1T) 194850790867; (BCM) 194850790645; (UUZ) 194850790638 Warranty Peace-of-mind coverage: Rest easy with an HP standard one-year limited warranty. | Package weight | 0.6 kg |
| 192018069237; (AB6) 194850790362; (AB7) 194850790560; (AB8) 194850790652; (AB9) 194850790607; (ABB) 194850790966; (ABD) 194850790348; (ABE) 194850790621; (ABF) 194850790386; (ABH) 194850790584; (ABL) 192018069206; (ABM) 192018069251; (ABN) 194850790713; (ABS) 194850790690; (ABT) 194850790676; (ABU) 194850790669; (ABV) 194850790683; (ABX) 194850790706; (ABY) 194850790720; (ABZ) 194850790577; (AC0) 194850790355; (AC3) 194850790546; (AC4) 192018069268; (ACB) 194850790614; (ACJ) 192018069244; (ACQ) 194850790874; (AK9) 194850790890; (AKB) 194850790553; (AKC) 194850790812; (AKQ) 194850790591; (AKE) 194850790805; (AKN) 194850790812; (AKQ) 194850790843; (B13) 194850790973; (B15) 194850790881; (B1T) 194850790867; (BCM) 194850790645; (UUZ) 194850790638 | Minimum System Requirements | Available USB port. |
| warranty warranty. | UPC number | 192018069237; (AB6) 194850790362; (AB7) 194850790560; (AB8) 194850790652; (AB9) 194850790607; (ABB) 194850790966; (ABD) 194850790348; (ABE) 194850790621; (ABF) 194850790386; (ABH) 194850790584; (ABL) 192018069206; (ABM) 192018069251; (ABN) 194850790713; (ABS) 194850790690; (ABT) 194850790676; (ABU) 194850790669; (ABV) 194850790683; (ABX) 194850790706; (ABY) 194850790720; (ABZ) 194850790577; (AC0) 194850790355; (AC3) 194850790546; (AC4) 192018069268; (ACB) 194850790614; (ACJ) 192018069244; (ACQ) 194850790874; (AK9) 19485079080; (AKB) 194850790553; (AKC) 194850790737; (AKD) 19485079089; (AKC) 194850790805; (AKN) 194850790812; (AKQ) 194850790836; (AKR) 194850790379; (AKS) 194850790881; (BTT) 194850790867; (BCM) 194850790997; (BED) 194850790829; (UUF) 192018069213; (UUW) |
| What's in the box HP Keyboard 100; Product Notices; Warranty card | Warranty | - · · · · · · · · · · · · · · · · · · · |
| | What's in the box | HP Keyboard 100; Product Notices; Warranty card |

Additional specifications

| Color | Black |
|--------------------------------|----------------------------------|
| Compatibility | Available USB port. |
| Compatible Operating Systems | Windows 7; Windows 8; Windows 10 |
| Country of origin | China |
| Package dimensions (W x D x H) | 18.3 x 6.7 x 1.18 in |
| Package weight | 1.33 lb |
| Product subgroup | Keyboard |
| UNSPSC code | 43211706 |
| UN242C CODE | 43211706 |

Disclaimer — Copyright

Actual product may vary from image shown.

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Jan 18, 2021 10:34 AM UTC+0000