









Havells India Limited is a leading Fast Moving Electrical Goods (FMEG) Company and a major power distribution equipment manufacturer with a strong pan India presence. Havells enjoys enviable market dominance across a wide spectrum of products, including Industrial & Domestic Circuit Protection Devices, Cables & Wires, Motors, Fans, Modular Switches, Home Appliances, Electric Water Heaters, Power Capacitors, CFL Lamps, Luminaires for Domestic, Commercial and industrial Applications.

Today, Havells owns some of the most prestigious brands like Havells, Crabtree and Standard. Its network constitutes of 4000 professionals, over 6000 dealers and 40 branches across the country. Its twelve state-of-the-art manufacturing plants in India located at Haridwar, Baddi, Noida, Sahibabad, Faridabad, Alwar, Neemrana are manufacturing globally acclaimed products, synonymous with excellence and precision in the electrical industry.

The company pioneered the concept of exclusive brand showroom in the electrical industry with 'Havells Galaxy'. Today over 350 Havells Galaxies across the country are helping customers, both domestic and commercial, to choose from a wide variety of products for different applications. Havells became the first FMEG Company to offer door step service via its initiative 'Havells Connect'. Thanks to the quality of products and quicker service, it has minimum customer complaints and highest customer satisfaction.

Contents

ceiling fa	INS	04
	Premium underlight fans Special finish fans Kids fan Decorative fans Energy saving fans Regular fans Hi-Speed fans	08 11 12 18 20
portable	fans	24
	Table fans Wall mounting fans Pedestal fans Personal fans Ceiling mounting fans	
domesti	c exhaust far	NS36
	Domestic exhaust fans-premi Domestic exhaust fans-plastic Domestic exhaust fans-metal	38
industria	l fans	40
	Heavy duty exhaust fans Air circulator fans	40



Momenta

Brushed nickel finish with 8 transparent blades
Remote control for on/off, speed & light



Half Open view

Closed view

- Sweep 1320 mm
- Architectural bronze finish
- · Remote control operations
- Contemporary LED underlight
- Great aesthetics & styling
- Unique designer blades for superior "corner to corner" air flow



- Sweep 1320 mm
- Oil rubbed bronze plating finish
- RF remote control operations
- Contemporary LED underlight
- · Great aesthetics & styling
- Unique designer blades for superior corner to corner air flow



Brushed Aluminium

- Sweep 1320 mm
- Remote controlled operations
- World-class contemporary aesthetics
- Dual light fittings for direct & indirect lighting
- 5 silver finish PC blades for superior "corner to corner" air flow



With Reversible Blade

- Sweep1320 mm
- Classic looks to match premium decor
- · Stylish assembly with diffused light
- · Unique designer wooden blades with heavy duty motor
- Available in Brushed Nickel with reversible blades
- Remote controlled operations

Veneto



- Sweep 1320 mm
- State-of-the-art aesthetics & styling
- Remote controlled operations
- Integrated canopy
- · Contemporary underlight with G9 lamp

Melania Black Nickel

- Sweep 950 mm
- Black Nickel electroplated motor cover, Blade trims, Canopies and down rod
- Blades made of high quality wood
- · Contemporary LED underlight
- · Remote control operations




- Sweep 1320 mm
- Remote control for on/off, speed & light
- Five blades made of high quality wood
- Powerful motor with silent operation

Avion



- Sweep 1320 mm
- · Electroplated fan with LED underlight
- Powerful motor with silent operation
- Four stylish blades for wider air delivery





· Remote control operations






- Sweep 1320 mm
- Embedded LED underlight in ring shape
- Unique color changing option in LED light
- Electroplated motor with antique look
- Powerful motor for high air delivery and silent operation
- Remote control for fan speed, light on / off, color change and timer



- Two Tone Nickel Gold
- Black Antique Nickel

- Sweep 1200 mm
- · Finish suiting modern interiors of house
- 4 blade with special finish
- With provision for underlight kit decorative die cast shank
- Motor body, downrod, canopy & shank in plated finish
- Improved performance even at low voltage

Special Finish Fans I



- · Optimum performance even at low voltage
- Unique 3 dimensional paint finish with rainbow effect
- Die cast plated shank with decoration

Rainbow Pearl Ivory





- Sweep 1320 mm
- Unique eight blade leafs with robust motor
- · Contemporary looks
- Superior air delivery and silent operation
- State-of-the-art aesthetics & styling



Wenge-Brushed Nickel


Fabio Platinum







- Sweep 1200 mm • Electro-phoretic lacquered surface for anti-rusting
- Wider blades for effective air circulation
- Optimum performance even at low voltage
- Powerful motor



Special Finish Fans

Yorker





Brushed Nickel



• Sweep 1320 mm

- Electro phoretic lacquered surface for anti rusting
- Special wood finish using Water film transfer technology
- Four blades for wider air delivery
- Available with or without remote control
- · Perfectly streamlined body



Orion




- Sweep 1200 mm
- Electro-phoretic lacquered surface for anti-rusting
- High speed fan
- Wider tip blade for effective air circulation

Kids Fans



- Sweep 1200 mm
- Exclusive design for kids room
- Designer static center even while the blades rotate
- Superior air delivery even at low voltage





- Sweep 1200 mm
- Exclusive design for kids room
- · Designer static center even while the blades rotate
- · Superior air delivery even at low voltage

Unique insert mould patternSpecial dust resistant paint finish




Black

Metallic Black

- Chrome

Pearl-White-Chrome





Pearl white chrome

Sweep 1320 mm

Espresso Brown

-Copper


- · Electroplated blade trims extended till motor
- Exotic electroplated ring on Motor with enhanced aesthetics
- Unique mounting of blades on bottom side of motor

Rose-gold

Available with remote



- Pearl White-Silver • Sweep 1200 mm
- · Metallic paint finish
- High performance even at low voltage
- · Superior air delivery
- Innovative designer fan blade
- · Exotic blade trims and body ring








- Sweep 1200 mm
- Metallic paint finish
- Motor with decorative ring
- High performance even at low voltage





- Sweep 1200 mm
- Metallic paint finish
- · Superior air delivery
- 4 blade innovative design fan
- Exotic blade trims and body ring



- Sweep 600, 900, 1050, 1200 & 1400 mm
- · Metallic paint finish
- Decorative trims on motor cover, canopy & blades
- Optimum performance even at low voltage

Festiva



Spiro



Pearl White-Silver

Mist Honey


- Sweep 1200 mm
- · Exotic looks with modern styling
- · Powerful motor for superior air delivery
- · Decorative trims of blades and body
- Wide tip blades for effective air circulation
- Unique Hexagonal Body along with stylish blades



- Sweep 600, 900, 1050, 1200 & 1400 mm
- · Metallic paint finish
- · Contemporary elegant design
- · Available in stunning color combinations
- Decorative trims on motor cover & blades



- Decorative trims on blades & canopy
- High performance even at low voltage
- Wider tip blades for effective air circulation
- High speed fan



Pearl White Silver

Pearl Ivory

- Sweep 1200 mm
- High Performance motor
- Exotic rich looks with modern styling
- Optimum air delivery even at low voltage









- Sweep 1200 mm
- New design trim & decorative canopy set
- High efficiency motor

Energy Saving Fans ■







Energy Saving Fans ■ **ES 40** Bianco • Sweep 1200 mm • 40 watt power consumption • India's most energy efficient induction motor ceiling fan White Brown Aerodynamic blades for maximum air delivery · Available in three colors Power full motor with CRNO lamination **ES 50** Brown Ivory White • Sweep-1200 mm • 50 Watt power consumption Powerful motor with CRNO Lamination **ES-50 Premium** Brown Ivory White

- Sweep-1200 mm50 Watt power consumption
- Powerful motor with CRNO Lamination








Spark HS

- Sweep 1200 mm
- Optimum performance even at low voltage
- Excellent & long lasting paint finish





White


Pacer



- Sweep Available in 600, 900, 1050, 1200 & 1400 mm
- · High speed fan
- Excellent & long lasting paint finish

White Ivory

Velocity




- Sweep 600, 900, 1050, 1200 & 1400 mm
- Optimum performance even at low voltage
- Excellent & long lasting paint finish
- Available in high speed also as Velocity HS

Regular Fans

XP 390



- Sweep 600, 1050, 1200 & 1400mm
- High speed fan
- Excellent & long lasting paint finish



- Sweep 1200 mm
- · Aerodynamically designed blades
- Wider tip blade for effective air-circulation
- Superior air-delivery even at low-voltage

Hi-Speed Fans

Nicola



- Sweep 600 mm
- · High speed fan
- · Excellent & long lasting paint finish
- Also available in Gold Mist & Pearl Ivory

Pearl White Silver

Velocity Brown • 600 mm sweep with 880 RPM • Available in White, Ivory & Brown

Speedster



- Available in White & Brown



XP 390



- Sweep 900 mm with 610 RPM
- High speed fan
- Excellent & long lasting paint finish
- Also available in White & Ivory

Hi-Speed Fans

Fusion



- 600 mm sweep with 800 RPM
- Also available in Beige Brown, Pearl Ivory, Silver Blue & Pearl White Silver

SS 390



- Sweep 600 mm
- High speed fan
- Excellent & long lasting paint finish
- Available in White & Bianco

Pacer



- 600 & 750 mm sweeps
- Available in White, Ivory & Brown

Swing LX

- Sweep 400 mm
- Smooth oscillation
- 120 ribs guard
- Pivot arrangement for tilting & oscillation
- · Aerodynamically designed & balanced PP blades
- · Available in 5 attractive colour combinations





Swing LX HS

- Sweep 400 mm
- High speed motor for better air delivery
- · Smooth oscillation & running
- Superior low voltage performance
- Available in 2 colours



Swing ZX

- Sweep 400 mm
- · Smooth oscillation
- Available in 3 attractive colour combinations
- Enhanced height to give enhanced air speed and aesthetic appeal
- · Aerodynamically designed blades





high speed

Portable Table Fans

Velocity Neo

- Sweep 400 mm
- High performance motor for better air delivery
- Smooth oscillation & running
- Superior low voltage performance
- Available in 4 colours





Velocity Neo-HS

- Sweep 400 mm
- High speed motor for better air delivery
- Smooth oscillation & running
- Superior low voltage performance





Portable Wall Mounting Fans

D'zire

- Sweep 300 mm
- · Elegantly designed fan base in round shape
- 5 leaf transparent AS blade
- · Stylish contemporary look
- Pull cord control for speed & oscillation



D'zire HS

- Sweep 300 mm
- · Elegantly designed fan base in round shape
- · Stylish contemporary look
- Pull cord control for speed & oscillation



Swing

- Sweep 300 mm
- Elegantly designed fan base
- 120 ribs guard
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed & balanced blades



Swing 300 Hi-Speed

- Elegantly designed fan base
- High speed motor for higher air delivery
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed & balanced blades




Portable Wall Mounting Fans

Swing

- Sweep 400 mm
- Elegantly designed fan base
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed & balanced blades





Swanky

- Sweep 400 mm
- Elegant looks & superb performance
- Superior air delivery even at low voltage
- · Available in three attractive color combinations

D'zire • Sweep 400 mm

- Elegantly designed fan base in round shape
- Stylish contemporary look
- Pull cord control for speed & oscillation

Platina

- Sweep 400 mm
- High performance motor for better air delivery
- · Smooth oscillation & smooth running
- · Aerodynamically designed balanced heavy duty PP blades
- Superior low voltage performance



Platina Remote

- Sweep 400 mm
- · Smooth oscillation fitted with synchronous motor
- Fan with built-in I.R. remote control
- High performance motor with over-heat protection
- · World class styling & finish
- Facility to control wind & nature mode
- Aerodynamically designed balanced AS blades



Platina Hi-Speed

- Sweep 400 mm
- · Smooth oscillation & running
- · High speed motor for higher air delivery
- Superior low voltage performance
- Aerodynamically designed balanced heavy duty PP blade



Portable Wall Mounting Fans

Airboll Hi-Speed

- Sweep 450 mm
- High speed motor for better air delivery
- Smooth oscillation
- · Aerodynamically designed balanced propeller type blade
- Superior low voltage performance





V3 Wall Fan

- Sweep 450 mm
- Sturdy & heavy duty aluminium blade for higher air delivery
- Sleek & stylish design
- 120 spokes nickel chrome plated guard
- Smooth oscillation



Portable Pedestal Fans

Trendy

- Sweep 400 mm
- · Available in attractive colour combination
- · Elegantly designed switch box
- · Higher air delivery
- · Also available with timer







Swing

- Sweep 400 mm
- · Smooth oscillation
- Elegantly designed switch box
- Superior low voltage performance

Sprint LED


- Sweep 400 mm
- Strong motor for better air delivery
- Superior low voltage performance
- · Heavy base for stability
- · LED indicator lights
- · Available in two attractive color combinations



Sprint LED Remote

- Sweep 400 mm
- · Strong motor for better air delivery
- Unique display panel with oscillation control
- Remote controlled operations with LED indicators
- Superior low voltage performance





- Sweep 400 mm
- Strong motor for better air delivery
- Superior low voltage performance
- · Heavy base for stability
- · Double ball bearing for longer life





- Sweep 400 mm
- Up to 8 hrs timer for automatic switch OFF
- Unique adjustable oscillation from 30° to 360°
- 90° face up position for air circulation in room
- Remote control operation and LED touch panel on fan
- Super silent operation





Portable Pedestal Fans



Sprint-18

- Sweep 450 mm
- Strong motor for better air delivery
- Smooth oscillation
- Superior low voltage performance
- · Heavy base for stability
- Also available in High Speed



Windstorm

- Sweep 450 mm
- Powerful energy efficient heavy duty motor
- Unique aerodynamically designed 4 leaf metal blade for excellent air thrust
- Telescopic height adjustment from 1060 mm to 1225 mm
- Three speed control
- Double ball bearing for longer life





- Sweep 450 mm
- Strong motor for better air delivery
 - Smooth oscillation
- Aerodynamically designed rust proof aluminium blades
- Superior low voltage performance
- · Heavy base for stability



- Sweep 500 mm
- Three speed control
- Attractive bi-colour metallic finish
- Powerful energy efficient heavy duty motor
- Telescopic height adjustment from 1060 mm to 1260 mm
- · Unique aerodynamically designed 3 leaf metal blade for excellent air thrust



Personal Fans

I COOL

Personal Fan

- Sweep 175 mm
- Two step speed control for any circulation needs
- · Unique multi-directional adjustment for desired wind flow
- Unique propeller, deep pitched blades & power air through air guide
- Multi purpose fan for table & mounting on wall and ceiling





On Table



On Ceiling



White Maroon

Birdie

- Sweep 230 mm
- · Aerodynamically designed 3 leaf ABS blade with aerofoil section for maximum air efficiency
- Unique Rocker design to allow 360° rotation of fan head both in horizontal & vertical plane
- Multi-use fan suitable for use as desk, wall or cabin/deck mounted application
- Powerful energy efficient 2 pole capacitor type motor to deliver strong air blast with nominal power consumption



Black Grey



Black Grey

Yellow Maroon

Crescent

- Sweep 250 mm
- Revolving grill for wide spread of air
- Table and wall mounting dual purpose
- 3 speed operation and 2 hour timer
- 180° fan head movement
- · Super silent operation





high speed

Breezo

- Sweep 300 mm
- · High Speed & High air thrust
- Multipurpose Can be used as Desk fan or Wall fan
- Three speed control







Ciera CABIN FAN

- Sweep 300 mm
- Grill for protection
- High speed motor for higher air delivery
- Ideal for mounting on low height ceiling and in cabin





Swing Gyro

- Sweep 400 mm
- 360 degree gyroscopic movement/ adjustable wind direction
- Grill for protection
- · Ideal for mounting on low height ceiling
- Aerodynamically designed balanced ABS blades

Domestic Exhaust Fans - Premium

Vento Jet - Auto

- 100 mm, 150 mm Sweep
- Brushed steel finish/Off White
- Automatic front shutter
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable & Screw less front for easy cleaning







Off White

Vento Jet

- 100 mm, 150 mm Sweep
- Brushed steel finish / Off-white
- Modular concept
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable & Screw less front for easy cleaning





Vento Hush

- 100 mm & 150 mm Sweep
- Modular concept
- High suction capacity
- Silent operation
- Wall, ceiling and window mounting
- Removable & Screw less front for easy cleaning





Vento Max - Auto

- 150 mm Sweep
- High suction capacity
- Silent operation with automatic shutter
- Wall, ceiling and window mounting
- Removable front for easy cleaning



Closed View

Vento Max

- 150 mm Sweep
- High suction capacity
- Silent operation
- Wall, ceiling and window mounting
- Removable front for easy cleaning





Ventilair DXZ

- Sweep 100 & 150 mm
- · Easy Installation on Glass/window panels
- High Quality Plastic, resistant to colour change
- Elegant front grill



Ventilair DX

- Sweep 150, 200 & 250 mm
- Ideal for mounting on wood & glass
- High quality engineering plastic, resistant to colour change with anti-static properties



Ventilair DXW NEO

- 150 mm sweep
- Easy installation on glass window & wood panels



Ventilair DXW

- Sweep 100 & 150 mm
- Ideal for mounting on glass window & wood panels



Ventilair DXR

- Sweep 150 mm
- Back shutter & fan ON-Off operations are inter-locked through pull cord



Domestic Exhaust Fans - Plastic

Ventilair DX-WE

- 150 mm sweep
- Suitable for window & wall mounted indoor installation
- · Electrically operated automated front shutter
- Modern design, fashionable & elegant look



Ventilair DX-C

- 130 mm sweep
- · Modern design & elegant look
- Ideal for centrally air conditioned bathrooms and mounting on ceiling



Domestic Exhaust Fans - Metal

Ventilair DB

- Sweep 230 mm & 300 mm
- Double ball bearings heavy duty motor With protective steel bird guard
- · Robust construction



Ventilair DS

- Sweep 150 mm, 230 mm & 300 mm
- Specially designed metal blade
- Powder coated metallic finish
- · Sturdy steel bird guard



Ventilair DSP

- Sweep 230 mm & 300 mm
- · Specially designed metal blade
- Powder coated metallic finish
- Sturdy steel bird guard



Turbojet

Heavy duty exhaust fan

- Corrosion less Body, Noise Less Operation & Maintenance Free Design.
- Totally enclosed, highly efficient heavy duty motor with pressure die cast aluminium rotor mounted on two ball bearings.
- Aerodynamically contoured blades handle maximum air with minimum power consumption. Rigid frame with rubber mountings for silent operation.
- For more corrosive environment, exhaust fans with chlorinated rubber paints are also available.
- Conforming to IS: 2312 -1967
- Available in various sizes with I & III phase.





Turboforce

Heavy duty exhaust fan

- Corrosion less Body, Noise Less Operation & Maintenance Free Design.
- Totally enclosed, highly efficient heavy duty motor with pressure die cast aluminium rotor mounted on two ball bearings.
- Aerodynamically contoured blades handle maximum air with minimum power consumption. Rigid frame with rubber mountings for silent operation.
- For more corrosive environment, exhaust fans with chlorinated rubber paints are also available.
- Conforming to IS: 2312 -1967
- Available in various sizes with I & III phase.



Industrial Fans - Wall Air Circulator Fan

Turboforce

Wall air circulator fan

- Aerodynamically designed blades for higher air delivery and minimum noise
- Dynamic balancing of blade Double 'Z' (shielded) ball bearings for longer life.
- Adjustable height for pedestal models, Indexable to different positions up to 85 degrees.
- · Oscillation up to 90 degrees for total flexibility.
- · Sturdy brazed wire guards with powder coating ensures corrosion resistance.
- Minimal power consumption.
- · Generally conforming to IS: 2997-1964 standards.



Industrial Fans - Pedestal Air Circulator Fan

Turboforce

Pedestal Air Circulator Fan

- Aerodynamically designed blades for higher air delivery and minimum noise
- Dynamic balancing of blade Double 'Z' (shielded) ball bearings for longer life.
- Adjustable height for pedestal models, Indexable to different positions up to 85 degrees.
- Oscillation up to 90 degrees for total flexibility.
- Sturdy brazed wire guards with powder coating ensures corrosion resistance.
- Minimal power consumption.
- Generally conforming to IS: 2997-1964 standards.
- Available in various sizes with I & III phase.



Technical Specification - Ceiling Fans					
Performance Details on 220-240 V, 50 Hz AC					
SI No.	Model	Sweep (mm)	Watt (W)	Speed (RPM)	Air Delivery (CMM)
	Ceiling Fans				
1	Fusion, SS-390 Metallic, Velocity, SS-390, Nicola, Speedster 4 blade, XP 390, Pacer	600	65	850	110
2	Speedster 4 blade	750	68	780	125
3	XP 390, Velocity	900	72	610	190
4	Nicola, Fusion, Pacer, SS-390 Metallic, Velocity	900	62	420	140
5	Spartz, Enticer	900	70	420	160
6	SS-390, Fusion, SS-390 Metallic Metallic, Velocity, Pacer	1050	65	400	160
7	Spartz, Enticer	1050	72	400	170
8	Orion, Enticer, Enticer Art, Ambrose, Spartz, Leganza (3B), Areole, Furia, SS 390 Deco, SS-390 Metallic, Festiva, Quanto, SS-390	1200	74	390	235
9	Pacer, XP 390 Plus	1200	72	390	230
10	Woodster, Safari	1200	70	350	225
11	Leganza (4B)	1200	70	350	225
12	Spiro	1200	75	300	220
13	Spark HS, Velocity-HS, Vogue Plus, Vogue	1200	75	390	220
14	Nicola, Fusion, Candy, Troika, Spark Deco, Velocity	1200	74	350	225
15	Yorker, Urbane	1320	82	300	260
16	Sagittal	1320	75	300	250
17	Fabio Platinum	1200	70	350	225
18	Pentaforce	1320	75	300	220
19	Octet	1320	84	270	280
20	Dew, Futuro	1320	82	300	260
21	SS-390, SS-390 Metallic	1400	75	320	255
22	Fusion, Velocity, Pacer, XP 390, Nicola	1400	75	290	250
SI No.	Model Energy Saving Fans	Sweep (mm)	Watt (W)	Speed (RPM)	Air Delivery (CMM)
23	Efficiencia	1200	32	350	220
24	ES-40	1200	40	300	215
25	Fusion ES	1200	50	350	218
26	ES 50 Premium, ES 50	1200	50	350	218

	TPV	W Fans			
	Performance Details	on 220	-240 V, 5	0 Hz AC	
SI No.	Model	Sweep (mm)	Watt (W)	Speed (RPM)	Air Delivery (CMM)
	Table Fans				
1	Velocity Neo-HS, Swing LX HS	400	130	2000	96
2	Velocity Neo, Swing ZX, Swing LX	400	50	1350	72
	Wall Fans	Sweep (mm)	Watt (W)	Speed (RPM)	Air Delivery (CMM)
3	D'zire	300	50	1360	65
4	Swing	300	45	1360	55
5	Swanky, Platina Remote, Swing, Platina, D'zire	400	50	1350	72
6	Swing 300 Hi-Speed, D'zire Hi-Speed	300	100	2000	65
7	Platina Hi-Speed	400	130	2000	95
8	Airboll Hi-Speed	450	110	1750	100
9	V3	450	100	1400	110

SI No.	Model	Sweep (mm)	Watt (W)	Speed (RPM)	Air Deliver (CMM)
	Pedestal Fans				
10	Trendy, Swing, Sprint LED,	400	50	1350	72
11	Sprint LED REMOTE Girik	400	65	1350	72
12	Gatik	400	55	1350	72
13	Tourner	400	65	1250	75
14	Sprint - 18	450	60	1350	80
15	Sprint - 16 Hi-Speed	400	130	2000	95
16	Sprint - 18 Hi-speed	450	110	1750	100
17	Windstorm	450	145	1400	145
18	Windstorm 500	500	130	1400	135
19	V3	450	100	1400	110
	Cabin Fan and Personal Fan	Sweep	Watt (W)	Speed	Air Deliver
20	I COOL	(mm) 175	52	(RPM) 2200	(CMM) 40
21	Birdie	230	45	2500	40
22	Crescent	250	40	1300	55
23	Breezo	300	80	2200	60
24	Ciera Cabin Fan	300	80	2400	75
25	Swing Gyro	400	60	1350	65
	Ventilair Fan	Sweep	Watt (W)	Speed	Air Deliver
		(mm)	vvaii (vv)	(RPM)	(CMH)
26	Vento Jet-Auto Inox/Std, Vento Jet-Inox, Vento Jet-Std	100	15	2500	98
27	Vento Jet-Auto Inox/Std, Vento Jet-Inox, Vento Jet-Std	150	25	2200	320
28	Vento Hush-Std	100	15	2400	98
29	Vento Hush-Std	150	25	2100	320
30	Vento Max-Auto Std, Vento Max-Std	150	28	2400	320
31	Ventilair DX	150	22	1350	280
32	Ventilair DX	200	32	1350	520
33	Ventilair DX	250	35	1200	860
34	Ventilair DXW NEO	150	25	2000	300
35	Ventilair DXW	100	15	2400	100
36	Ventilair DXW	150	25	2000	300
37	Ventilair DXR	150	25	1800	300
38	Ventilair DX-WE	150	25	1760	300
39	Ventilair DX-C	130	24	1760	150
	Ventilair DX-C Ventilair Fan Metallic	130 Sweep (mm)	24 Watt (W)	1760 Speed (RPM)	Air Deliver (CMH)
39	Ventilair Fan Metallic	Sweep (mm) 230	Watt (W)	Speed (RPM) 1400	Air Deliver (CMH) 860
39 40 41	Ventilair Fan Metallic Ventilair DB Ventilair DB	Sweep (mm) 230 300	Watt (W) 45 70	Speed (RPM) 1400 1400	Air Deliver (CMH) 860 1850
39 40 41 42	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS	Sweep (mm) 230 300 150	Watt (W) 45 70 38	Speed (RPM) 1400 1400 2800	Air Deliver (CMH) 860 1850 400
39 40 41 42 43	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS	Sweep (mm) 230 300 150 230	Watt (W) 45 70 38 35	Speed (RPM) 1400 1400 2800 1400	Air Deliver (CMH) 860 1850 400 700
40 41 42 43 44	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS	Sweep (mm) 230 300 150 230 300	Watt (W) 45 70 38 35 40	Speed (RPM) 1400 1400 2800 1400	Air Deliver (CMH) 860 1850 400 700 1060
40 41 42 43 44 45	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DS	Sweep (mm) 230 300 150 230 300 230	Watt (W) 45 70 38 35 40 40	Speed (RPM) 1400 1400 2800 1400 1400 1400 1350	Air Deliver (CMH) 860 1850 400 700 1060 510
40 41 42 43 44	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP	Sweep (mm) 230 300 150 230 300 230 300 230 300	Watt (W) 45 70 38 35 40 40 50	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350	Air Deliver (CMH) 860 1850 400 700 1060 510 900
40 41 42 43 44 45	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DS	Sweep (mm) 230 300 150 230 300 230	Watt (W) 45 70 38 35 40 40	Speed (RPM) 1400 1400 2800 1400 1400 1400 1350	Air Deliver (CMH) 860 1850 400 700 1060 510
39 40 41 42 43 44 45 46	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP	Sweep (mm) 230 300 150 230 300 230 300 Sweep (mm)	Watt (W) 45 70 38 35 40 40 50	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350 Speed	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver
40 41 42 43 44 45 46	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Ф Turboforce 1-Ф	Sweep (mm) 230 300 150 230 300 230 300 Sweep	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350 Speed (RPM) 900 1400	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950
40 41 42 43 44 45 46 47 48 49	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 Sweep (mm) 300	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100	Speed (RPM) 1400 1400 2800 1400 1350 1350 Speed (RPM) 900 1400	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250
40 41 42 43 44 45 46 47 48 49 50	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 1-Φ Turboforce 1-Φ Turboforce 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 Sweep (mm)	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350 Speed (RPM) 900 1400 900	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700
40 41 42 43 44 45 46 47 48 49 50 51	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 1-Φ Turboforce 1-Φ Turboforce 1-Φ Turboforce 1-Φ Turboforce 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 Sweep (mm) 300	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145	Speed (RPM) 1400 1400 1400 1400 1400 1350 1350 Speed (RPM) 900 1400 900	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400
40 41 42 43 44 45 46 47 48 49 50 51 52	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 Sweep (mm) 300 300	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 410	Speed (RPM) 1400 1400 1400 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200
40 41 42 43 44 45 46 47 48 49 50 51 52 53	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 Sweep (mm) 300 300	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 410 250	Speed (RPM) 1400 1400 1400 1400 1400 1400 1350 Speed (RPM) 900 1400 900 1400 900 1400 700	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 230 300 Sweep (mm) 300 - 380 - 450	Watt (W) 45 70 38 38 40 40 50 Watt (W) 55 90 100 166 145 410 250 850	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900 10520
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 230 300 Sweep (mm) 300 380 450	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 410 250 850 370	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 1400 900 1400	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900 10520 6800
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce (Wall Air Circulator Fan,	Sweep (mm) 230 300 150 230 300 230 300 230 300 Sweep (mm) 300 - 380 - 450	Watt (W) 45 70 38 38 40 40 50 Watt (W) 55 90 100 166 145 410 250 850	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900 10520
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator Fan, Tan, Pedestal Air Circulator Fan, Turboforce (Wall Air Cir	Sweep (mm) 230 300 150 300 230 300 230 300 Sweep (mm) 300 450 600	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 410 250 850 370 500	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 1400 900	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900 10520 6800 10520
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 1-T Turboforce 1-T Turboforce 1-T Turboforce 1-T Turboforce 1-T Turboforce 1-T Turboforce (Wall Air Circulator Fan, Pedestal Air Ci	Sweep (mm) 230 300 150 230 300 230 300 230 300 Sweep (mm) 300 450 600 450 600	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 410 250 850 370 500 100 180	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 1400 900 1400 900 1400 14	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900 10520 6800 10520 9000
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce Wall Air Circulator Fan, Pedestal Air Circulator Fan, Pedest	Sweep (mm) 230 300 150 230 300 230 300 230 300 230 300 Sweep (mm) 300 450 600 450	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 410 250 850 370 500 100 180 55	Speed (RPM) 1400 1400 1400 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 1400 900 1400 900 1440 144	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900 10520 6800 10520 9000 16800 1145
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator	Sweep (mm) 230 300 150 230 300 230 300 230 300 Sweep (mm) 300 450 600 450 600 300	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 410 250 850 370 500 100 180 55 90	Speed (RPM) 1400 1400 1400 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 1440 144	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900 10520 6800 10520 9000 16800 1145 1710
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator Fan, Pedestal Air Circulator Fan, Turboforce 1-Φ Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator Fan, Pedestal Air Circulator Fan, Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator Fan, Pedestal Air Circulator Fan, Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator Fan, Pedestal Air Circulator Fan, Turbojet 1-Φ Turbojet 1-Φ Turbojet 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 230 300 Sweep (mm) 300 450 600 450 600	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 410 250 850 370 500 100 180 55 90 100	Speed (RPM) 1400 1400 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 1440 144	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900 10520 6800 10520 9000 16800 1145 1710 2000
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator Fan, Pedestal Air Circulator Fan, Pedestal Air Circulator Fan, Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator Fan, Pedestal Air Circulator Fan, Turbojet 1-Φ Turbojet 1-Φ Turbojet 1-Φ Turbojet 1-Φ Turbojet 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 230 300 Sweep (mm) 300 450 600 450 600 300	Watt (W) 45 70 38 38 35 40 40 50 Watt (W) 55 90 100 166 145 410 250 850 370 500 100 180 55 90 100 166	Speed (RPM) 1400 1400 2800 1400 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 1440 900 1440 900 1440 900 1440	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 6200 7900 10520 6800 10520 9000 16800 1145 1710 2000 3250
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 55 56 60 61 62 63	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator	Sweep (mm) 230 300 150 230 300 230 300 230 300 Sweep (mm) 300 450 600 450 600 300	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 850 370 500 100 180 55 90 100 160 145	Speed (RPM) 1400 14400 2800 1400 14400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 14400 900 14400 900 14400 900 14400 900 1400 900	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 6200 7900 10520 6800 10520 9000 16800 1145 1710 2000 3250 3900
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 60 61 62 63 64	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator Fan, Pedestal Air Circulator Fan) Turbojot 1-Φ Turbojet 1-Φ Turbojet 1-Φ Turbojet 1-Φ Turbojet 1-Φ Turbojet 1-Φ Turbojet 1-Φ	Sweep (mm) 230 300 150 230 300 230 300 230 300 Sweep (mm) 300 450 600 450 600 450 600 300 380	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 186 145 410 250 850 370 500 100 180 55 90 100 166 145 410 410	Speed (RPM) 1400 1400 2800 1400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 1440 144	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 4400 4400 10520 9000 116800 1145 1710 2000 3250 3900 6120
40 41 42 43 44 45 46 47 50 51 52 53 54 55 55 56 57 58 59 60 61 62 63	Ventilair Fan Metallic Ventilair DB Ventilair DB Ventilair DS Ventilair DS Ventilair DS Ventilair DS Ventilair DSP Ventilair DSP Ventilair DSP Industrial Fans Turboforce 1-Φ Turboforce 3-Φ Turboforce 3-Φ Turboforce (Wall Air Circulator Fan, Pedestal Air Circulator	Sweep (mm) 230 300 150 230 300 230 300 230 300 230 300 300 450 600 450 600 450 600 300	Watt (W) 45 70 38 35 40 40 50 Watt (W) 55 90 100 166 145 850 370 500 100 180 55 90 100 160 145	Speed (RPM) 1400 14400 2800 1400 14400 1350 1350 Speed (RPM) 900 1400 900 1400 900 1400 900 14400 900 14400 900 14400 900 14400 900 1400 900	Air Deliver (CMH) 860 1850 400 700 1060 510 900 Air Deliver (CMH) 1275 1950 2250 3700 6200 7900 10520 6800 10520 9000 16800 1145 1710 2000 3250 3900

REGIONAL & BRANCH OFFICES:

NORTH - REGIONAL OFFICE:

Corporate Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, **Delhi:** Tel: 011-47676700, 23888200,

Chandigarh: Tel: 0172-4232400-401, Dehradun: Tel: 0135-6670202, Noida / Haryana: Tel: 0120-3331000, Ludhiana: Tel: 0161-4676000 / 24, Jammu: Tel: 0191-2478330, 2479330, Sri Nagar: Tel: 0194-2490431, Jaipur: Tel: 0141-3914645, 3988210 Jodhpur: Tel: 0291-9214201640 / 45, Lucknow: Tel: 0522-6672100, Kanpur: Tel: 0512-6710400, 6710409

EAST - REGIONAL OFFICE:

Kolkata: ICC Tower, 5th Floor, 4 India Exchange Place, Kolkata-700001, Tel: 033-40129851/52, Bhubaneshwar: Tel: 0674-6668101/102/103/104,

Guwahati: Tel: 0361-2134521, 2458923, 2460355, **Siliguri:** Tel: 0353-2525907, **Ranchi:** 0651-2244861, 2244862, 2244864, 2244868, 2244869, **Jamshedpur:** Tel: 0657-6542492, 09234369436,

Patna: Tel: 0612-2207221, 2207222, 2207223, 2655518

WEST - REGIONAL OFFICE:

Mumbai: 1271, Solitaire Corporate Park, Bldg. No. 12, 7th Floor,
Andheri - Ghatkopar Link Road, Chakala, Andheri (East),
Mumbai: 400003, Ph. 022, 67308600, 603, Ahmadabad: Tal. 070, 4006

Mumbai- 400093. Ph.: 022 - 67298600-602, **Ahmedabad:** Tel: 079-400611111, 40060738-740, **Indore:** Tel: 0731-2572340-41, 4009998 (Airtel),

Rajkot: Tel: 0281-2481112, 2921212, Nagpur: Tel: 0712-2240932, 2242692, 2242699 Pune: Tel: 020-64016413 / 14, Raipur: Tel: 0771-4243400 / 01, Surat: Tel: 0261-2350137, 9979890137, Jabalpur: Tel: 0761-4064491

SOUTH - REGIONAL OFFICE:

Chennai: Sigapi Achi Building, No. 18 / 3, 6th Floor, Rukmani Lakshmipathy Road, Egmore, Chennai-600008, Tel: 044-42280600, 605,
 Bangalore: Tel: 080-49075000, Coimbatore: Tel: 0422-4550200, 2305199, 2306199, Hyderabad: Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, Kochi: Tel: 0484-4099000,
 Vishakapatnam: Tel: 0891-6514339, Vizag: Tel: 0891-6514339, Vijayawada: Tel: 91+9247058847/57, Calicut: 0495-4019194,

Vijayawada: Tel: 0891-6514338, Vizag: 161: 0891-6514338 Vijayawada: Tel: 91+9247058847/57, Calicut: 0495-4019194 Madurai: 0452-4267022, Trivandrum: 0471-4015323, Hubli: 09448146028, Trichy: 09944460160

Representative Offices: • Goa • Solapur • Gwalior • Kathmandu • Bhopal

ZHFRF00001/MAR/17

CIN: L31900DL1983PLC016304

