

Powerful **COOLING** for Refreshing **SUMMERS**



Why Orient Electric Air Coolers?

Today, when the air pollution levels are breaking records every day, the home is our only safe haven. Therefore, we must ensure that the indoor air remains pure and healthy.

This is why, Orient Electric Air Coolers are designed to give you not just a cool breeze. Unlike other air-cooling devices, these coolers ensure fresh air ventilation and not just the circulation of the same air. With revolutionary technologies like DenseNest Honeycomb for efficient water retention and premium Aerofan technology for the strongest air throw, Orient Air Coolers make summertime truly blissful.



A range as diverse as your preferences

As the summers step in, we all crave that cool and fresh breeze from an air cooler. While the basic function remains the same, different customers have unique preferences when it comes to air coolers.

Orient Electric is a one-stop solution for your air cooling needs. We have a complete range of air coolers of all sizes, shapes, capacities, and features. Whichever cooler you choose, it's an Orient promise that your home will be filled with cool, fresh, and healthy air the moment you turn that switch on.



Trust the best

Orient's wide range of air coolers



COMMERCIAL COOLERS



WINDOW COOLERS



DESERT COOLERS

Recognized for
quality and performance
 that merit awards



PERSONAL COOLERS



TOWER COOLERS



DESERT COOLERS



Superbrand India
2023-24



The Economic Times
Best Brands 2021



Best Design Award
India 2019



Frost And Sullivan
New Product Innovation
Leadership Award
India 2019

AEROFAN TECHNOLOGY

Experience revolutionary cooling efficiency with Aerofan Technology's innovative fan blade unit. With a lift coefficient ranging from 1.50 to 1.95, it ensures optimal air circulation and swift cooling, boasting an average air velocity of 10.2 m/s.

What sets Aerofan apart is the integration of the gurney flap within the fan blade unit, enhancing aerodynamic performance through advanced tooling processes. Aerofan Technology promises superior cooling and enhanced user experience, marking a breakthrough in air cooler design.

Best in class features



Densenest Honeycomb

Stay cool and comfortable with Densenest Honeycomb pads, designed to efficiently cool even in humid coastal areas by retaining more water for continuous airflow.



Concealed Pump

Ensure durability and safety with our air coolers featuring concealed pumps, protected from dust and debris for long-lasting performance.



Inverter Compatibility

Enjoy uninterrupted cooling with inverter compatibility, adapting seamlessly to power fluctuations for reliable operation.



Dust Filter

Breathe clean, healthy air with our dust filter, trapping dust and pollen while extending the lifespan of the honeycomb pads.



Select the right air cooler for your space

TYPE	DESERT	PERSONAL	TOWER	WINDOW	COMMERCIAL
REGION	All Regions	East West South	East West South	East South	All Regions
CLIMATE CONDITION	Dry Heat	Coastal Lightly Humid	Coastal Lightly Humid	Dry Heat Lightly Humid	Dry Heat Humid
ROOM SIZE	300 Sq Ft & Above	Below 300 Sq Ft	Below 300 Sq Ft	Upto 250 Sq Ft	400 Sq Ft & Above
USAGE	Indoors Outdoors	Small Rooms Spot Cooling	Small Rooms	Rooms With A Window Outdoors	Indoors Outdoors
CAPACITY	50-125L	8-50L	10-60L	45-55L	80-125L

DESERT COOLERS

With the temperature breaking records every summer, Orient Electric Desert Coolers are the perfect solution. The combination of large tank capacity and powerful fan motor allows these sturdy air coolers to throw fresh air all day long.

The superior air delivery, powerful air throw, high cooling efficiency, along with low noise & easy manoeuvrability, make these coolers the best in the segment.



IDEAL FOR



Closed
Outdoor



Living
Room



Restaurant



Party Hall



Gym



Shop

7

Cools up to: 37 sq m.*

*Estimated area based on 3mts (10ft) ceiling height and an all-sides-covered room.



Powerful Air Delivery
5000 m³/hr




Longest Air Throw
Aerofan Technology



4-Way Cooling
Motorised Vertical Louvres



Quick Cooling
Openable Ice Chamber



SMARTCHILL 125L
CD1251H



TITAN 100L & 75L
CD1002H, CD7501H





Powerful Air Delivery
4500 m³/hr



Quick Cooling
Openable Ice Chamber



4-Way Cooling
Motorised Vertical
Louvres



Noiseless Cooling
Propeller Fan Blade



AVANTE 105L & 90L
CD1051H, CD9001H





Powerful Air Delivery
3650 m³/hr



Quick Cooling
Openable Ice Chamber



Keeps Dust Away
Dust Filter



Prevents Mosquito Breeding
Mosquito Repellent



KNIGHT+ 70L
CD7007H

KNIGHT 70L
CD7003H





Powerful Air Delivery
3650 m³/hr



4-Way Cooling
Motorised Vertical Louvres



Inverter Compatible




Quick Cooling
Openable Ice Chamber



Fully Collapsible Louvres



Prevents Mosquito Breeding
Mosquito Repellent



ULTIMO 88L & 50L
CD8803H, CD5003H



ULTIMO 65L
CD6501H






Powerful Air Delivery
3650 m³/hr



4-Way Cooling
Motorised Vertical Louvres



Inverter Compatible



TORNADO 88L, 65L & 52L
CD8804H, CD6508H, CD5202H






Powerful Air Delivery
4000 m³/hr



Low Power Consumption
180W



Adjustable Fan Speed
3-Speed Motor



AEROSTORM 92L & 71L
CD9201H, CD7101H





Powerful Air Delivery
Aerofan Technology




4-Way Cooling
Motorised Vertical Louvres



Adjustable Fan Speed
3-Speed Motor



Longer Life
Ball Bearing Motor



OCEAN AIR 70L
CD7001H



AEROCHILL 51L
CD5102H

Name	Air Delivery
Ocean Air	3600 m ³ /hr
Aerochill	3200 m ³ /hr



COMMERCIAL COOLERS

Cooling big spaces at a pocket-friendly price just got easier with Orient Electric Commercial Air Coolers. These are equipped with a bigger vent area, DenseNest honeycomb pads, and Aerofan technology for high air delivery. Even at high speeds, its lockable castor wheels keep the cooler stable while the in-built autofill feature and higher tank capacity dispense powerful cooling throughout the day.



IDEAL FOR



Hotels



Office



Hospital



Party Hall



Big Shops
& Malls



Open Air
functions



Powerful Air Delivery
8000 m³/hr




Longer Air Throw
20" Air Sweep



Uninterrupted Cooling
Auto-Fill Feature



Lockable Castor Wheels
Heavy Duty For Higher Stability



STARK 110L
CC1101H





Enhanced Load Efficiency
Thermal Overload Protector




Additional Water Inlet



Uninterrupted Cooling
Auto-Fill Feature



Lockable Castor Wheels
Heavy Duty For Higher Stability



MAXOCHILL 100L
CC1001H



MAXOCHILL 80L
CC8001H

Name	Air Delivery	Air Sweep
Maxochill 100L	7000 m ³ /hr	20"
Maxochill 80L	12000 m ³ /hr	24"





Powerful Air Delivery
8500 m³/hr




Longer Air Throw
22" Air Sweep



Uninterrupted Cooling
Auto-Fill Feature



Lockable Castor Wheels
Heavy Duty For Higher Stability



STARK PLUS 125L
CC1251H



PERSONAL COOLERS

Different people, different choices. With this thought at the core of its design, Orient's range of Personal Coolers offers coolers of different shapes, and designs. You can simply pick one that complements your home or workspace perfectly. They're equipped with a powerful blower that packs a punch when it comes to air delivery. Their easy-lift handles and castor wheels make it easy to move them around so that you can enjoy fresh air wherever you want.



IDEAL FOR



Study Room



Small Office



Bedroom



Dining Area



Small Shop




Powerful Air Delivery
1300 m³/hr



4-Way Cooling
Motorised Vertical &
Horizontal Louvres



Dust Filter



SUPERCOOL 30L
CP3001H



25% more cooling.
45% more water retention.




Powerful Air Delivery
2100 m³/hr



Fully Collapsible Louvres



Longest Air Throw
High Speed 2-Pole Motor



AEROCOOL 40L & 20L
CP4001H, CP2005H






Quick Cooling
Openable Ice Chamber



Inverter Compatible



Dust Filter



SMARTCOOL DX 37L, 24L, 18L
CP3701H, CP2401H, CP1801H



PREMIA 45L, 36L & 26L
CP4502H, CP3602H, CP2602H

Name	Air Delivery
Smartcool	1300 m ³ /hr
Premia	1500 m ³ /hr



WINDOW COOLERS

Our Window Cooler range is equipped with a myriad of features that make your life easier. Large water tank capacity ensures that you do not need to worry about repeatedly filling the cooler, just fill it and forget it for a long time. The advanced 4-way deflection system cools the room evenly. The combo of special Humidity Control and the Fragrance Chamber turns humid air into a fresh, healthy, and pleasantly cool breeze. The icing on the cake is that these coolers are built to consume less energy and save power.



IDEAL FOR



Office



Bedroom



Living Room



Study Room



Dining Area



Small Shop

Cools up to: 22 sq m.*

*Estimated area based on 3mts (10ft) ceiling height and an all-sides-covered room.




Powerful Air Delivery
2000 m³/hr



4-Way Cooling
Motorised Vertical Louvres



Inverter Compatible



MAGICOOL+ 55L
CW5502B, CW5501B



MAGICOOL DX 50L
CW5002B

— Also available in white color —

TOWER COOLERS

Comfort shouldn't depend on how much space you've got. Bring home these sleek and tall air coolers specially designed for rooms with limited space. They can easily fit into one corner of the room while ensuring a powerful flow of cool air throughout the room. Amp up your style as well as your comfort quotient with Orient's range of Tower Coolers.



IDEAL FOR



Office



Bedroom



Living Room



Study Room



Dining Area



Small Shop



Powerful Air Delivery
1500 m³/hr



Quick Cooling
Openable Ice Chamber




4-Way Cooling
Motorised Vertical Louvres



Dust Filter



Fully Collapsible Louvres



**ULTIMO
TOWER 55L**
CT5502HR, CT5506H



**ULTIMO
TOWER 40L**
CT4002HR, CT4006H



**ULTIMO
TOWER 26L**
CT2604HR, CT2603H, CT2606H



Available in remote/manual variants

All image sizes are representative, for actual size of the products, please refer the specification table.



DESERT COOLERS



Model Number		CDI25IH	CD1002H	CD750IH	CD105IH	CD900IH	CD7007H	CD7003H	CD8803H	CD5003H
Model Name		SmartChill 125	Titan 100	Titan 75	Avante 105	Avante 90	Knight+ 70	Knight 70	Ultimo 88	Ultimo 50
Mode of Operation		Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Cooling Medium		DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb
Water Tank Capacity (Litres upto brim)		125 Ltrs.	100 Ltrs	75 Ltrs	105 Ltrs	90 Ltrs	70 Ltrs	70 Ltrs	88 Ltrs	50 Ltrs
Power Consumption (Wattage)		190 W	190 W	190 W	190 W	190 W	190 W	190 W	190 W	190 W
Air Delivery (m3/hr)		5000	5000	5000	4500	4500	3650	3650	3650	3650
Air Throw Distance (Metres)		18.5 m.	18.5 m.	18.5 m.	18.0 m.	18.0 m.	18.3 m.	18.3 m.	18.3 m.	18.3 m.
Auto Fill		No	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control-3/RPM		H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L
Blower/Fan Type		Fan / 18" Metal Blade	Fan / 18 inch	Fan / 18 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch
Wheels/Trolley		5 Castor Wheels	5 castor Wheels	5 castor Wheels	5 castor Wheels	5 castor Wheels	4 Castor Wheels	4 Castor Wheels	5 Castor Wheels	4 Castor Wheels
Prevents Mosquito Breeding		No	No	No	No	No	Yes	Yes	Yes	Yes
Anti Bacterial Tank		No	No	No	No	No	No	No	No	No
Dust Filter		No	No	No	No	No	Yes	No	No	No
Ice Chamber		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Vertical Louvres Movement		Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Horizontal Louvres Movement		Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Dimensions Without Packaging (cm)	L	68.5	70	70	62	62	61.2	61.2	65.0	65.0
	W	46.5	45	45	46.5	46.5	43.0	43.0	42.6	42.6
	H	135.3	127	118	127.5	118.5	124.8	124.8	130.0	112.0
Dimensions With Packaging (cm)	L x W x H	75.5x50x135	79.5x57x130.5	79.5x57x119.5	71.5x52.5x135	71.5x52.5x125	65x48x131	65.5x48x131	69x47x137	69x47x121
Net Weight (kg)		19	18	17	19.2	17.7	19.7	19.7	18.0	16.5
Gross Weight (kg)		24	23	21.5	24.8	23.4	24.0	24.0	21.5	19.5
Stacking		2	2	2	2	2	2	2	2	2
Product Warranty [#]		12 Months	12 months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area		500 sqft	400 sq ft	400 sq ft	400 sq ft	400 sq ft	380 sq ft	400 sq ft	350 sq ft	350 sq ft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. [#]Warranty is applicable in India only.

DESERT COOLERS



Model Number	CD650IH	CD8804H	CD6508H	CD5202H	CD920IH	CD710IH	CD700IH	CD5102H	
Model Name	Ultimo 65	Tornado 88	Tornado 65	Tornado 52	Aerostorm 92	Aerostorm 71	Ocean Air	Aerochill 51 HC	
Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	
Cooling Medium	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	
Water Tank Capacity (Litres upto brim)	65 Ltrs	88 Ltrs	65 Ltrs	52 Ltrs	92 Ltrs	71 Ltrs	70 Ltrs	51 Ltrs	
Power Consumption (Wattage)	190 W	190 W	190 W	190 W	180 W	180 W	190 W	190 W	
Air Delivery (m3/hr)	3650	3650	3650	3650	4000	4000	3600	3200	
Air Throw Distance (Metres)	18.3 m.	18.3 m.	18.3 m.	18.3 m.	17 m.	17 m.	18.3 m.	11 m.	
Auto Fill	Yes	Yes	No	No	Yes	No	No	No	
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Speed Control-3/RPM	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	
Blower/Fan Type	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	
Wheels/Trolley	4 Castor Wheels	5 Castor Wheels	4 Castor Wheels	4 Castor Wheels	5 Castor Wheels	5 Castor Wheels	4 Castor Wheels	4 Castor Wheels	
Prevents Mosquito Breeding	Yes	No	No	No	No	No	No	No	
Anti Bacterial Tank	No	No	No	No	No	No	No	No	
Dust Filter	No	No	No	No	No	No	No	No	
Ice Chamber	Yes	No	No	No	No	No	No	No	
Vertical Louvres Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	
Horizontal Louvres Movement	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	
Dimensions Without Packaging (cm)	L	65.0	63.0	63.0	63.0	66	66.0	65.0	64.5
	W	42.6	41.0	41.0	41.0	50	50	38.0	50.5
	H	121.0	133.0	122.0	113.0	123	113	124.5	102.0
Dimensions With Packaging (cm)	L x W x H	69x47x130	69x47x140	69x47x127	69x47x118	73x53x132	73x53x122	68x40x130	67x53.5x108
Net Weight (kg)	17.0	15.7	14.8	14.3	18	17	18.0	15.0	
Gross Weight (kg)	20.5	21.0	18.6	18.0	22.5	21	21.5	19.0	
Stacking	2	2	2	2	2	2	2	2	
Product Warranty*	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	
Cooling Area	380 sq ft	350 sq ft	350 sq ft	350 sq ft	450 Sq ft	400 Sq ft	400 sq ft	300 Sq. ft	

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. *Warranty is applicable in India only.

COMMERCIAL
COOLER

PERSONAL
COOLERS



Model Number	CC1101H	CC1001H	CC8001H	CC1251H	CP3001H	CP4001H	CP2005H	CP3701H	CP2401H
Model Name	Stark 110	Maxochill 100 L	Maxochill 80 L	Stark Plus 125L	Supercool 30	Aerocool 40	Aerocool 20	Smartcool DX 37	Smartcool DX 24
Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Cooling Medium	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb
Water Tank Capacity (Litres upto brim)	110 Ltrs	100 Ltrs	80 Ltrs	125 Ltrs	30 Ltrs	40 Ltrs	20 Ltrs	37Ltrs	24 Ltrs
Power Consumption (Wattage)	450 W	320 W	540 W	450 W	140 W	125 W	125 W	140 W	140 W
Air Delivery (m3/hr)	8000	7000	12000	125 Ltrs.	1300	2100	2100	1300	1300
Air Throw Distance (Metres)	18 m.	25 m.	30 m.	18 m.	7.6 m.	8.0 m.	8.0 m.	7.6 m.	7.6 m.
Auto Fill	Yes	Yes	Yes	Yes	No	No	No	No	No
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control-3/RPM	H,M,L	Yes	Yes	Yes	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L
Blower/Fan Type	Fan / 18.5 inch	Fan / 18.5 inch	Fan / 24 inch	Fan / 22 inch	Blower	Fan / 12 inch	Fan / 12 inch	Blower	Blower
Wheels/Trolley	4 Heavy Duty Castor Wheels	4 Heavy Duty Castor Wheels (2 Front wheels with Lock)	4 Leaf Metal Blade	Fan / 18.5"	2 Trolley Wheels & 2 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels
Prevents Mosquito Breeding	No	No	No	No	No	No	No	No	No
Anti Bacterial Tank	No	No	No	No	No	No	No	No	No
Dust Filter	No	No	No	No	Yes	No	No	Yes	Yes
Ice Chamber	No	No	No	No	No	No	No	Yes	Yes
Vertical Louvres Movement	No	No	No	No	Motorised	Motorised	Motorised	Motorised	Motorised
Horizontal Louvres Movement	No	No	No	No	Motorised	Manual	Manual	Manual	Manual
Dimensions Without Packaging (cm)	L	85	80	96	85	34.5	46.0	46.0	46.0
	W	62	53	53.5	60	41.8	36.4	36.4	34.0
	H	144	138	147	150	93.0	88.5	74.0	82.5
Dimensions With Packaging (cm)	L x W x H	90.0 x 63.0 x 149.0	87 x 61.5 x 135	103 x 62 x 142	87 x 63 x 155	39.6 x 46.6 x 99.5	51x40.5x90	51x40.5x77	51x38.5x89
Net Weight (kg)	28	22.9	31.1	29	10.3	7.8	7.1	9.2	8.6
Gross Weight (kg)	35	28.1	36.9	36	12.2	10.5	9.2	11.0	10.1
Stacking	2	2	2	2	3	2	2	3	3
Product Warranty*	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area	800 sqft	750 sqft	1400 sqft	800 sqft	180 sqft	200 sqft	200 sqft	150 sqft	150 sqft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. *Warranty is applicable in India only.

PERSONAL COOLERS

WINDOW COOLERS

TOWER COOLERS



Model Number	CP1801H	CP4502H	CP3602H	CP2602H	CW5501B/CW5502B	CW5002B	CT5506H/ CT5502HR	CT4006H/ CT4002HR	CT2604HR/ CT2603H/CT2606H	
Model Name	Smartcool DX 18	Premia 45	Premia 36	Premia 26	Magicool+ 55	MAGICCOOL DX 50	Ultimo Tower 55	Ultimo Tower 40	Ultimo Tower 26	
Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	Manual/Remote	Manual/Remote	Manual/Remote	
Cooling Medium	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	Wood Wool	Wood Wool	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	
Water Tank Capacity (Litres upto brim)	18 Ltrs	45 Ltrs	36 Ltrs	26 Ltrs	55 Ltrs	50 Ltrs	55 Ltrs	40 Ltrs	26 Ltrs	
Power Consumption (Wattage)	140 W	140 W	140 W	140 W	200 W	220 W	160 W	160 W	160 W	
Air Delivery (m3/hr)	1300	1500	1500	1500	2000	2000	1500	1500	1500	
Air Throw Distance (Metres)	7.6 m.	7.6 m.	7.6 m.	7.6 m.	10.7 m.	10.7 m.	9.14 m.	9.14 m.	9.14 m.	
Auto Fill	No	No	No	No	No	No	No	No	No	
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Speed Control-3/RPM	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	
Blower/Fan Type	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	
Wheels/Trolley	4 Castor Wheels	4 Castor wheels	4 castor wheels	4 castor wheels	Trolley Optional	Trolley Optional	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	
Prevents Mosquito Breeding	No	No	No	Yes	No	No	Yes	Yes	Yes	
Anti Bacterial Tank	No	No	No	No	No	No	No	No	No	
Dust Filter	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	
Ice Chamber	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	
Vertical Louvres Movement	Motorised	Motorised	Motorised	Motorised	Motorized	Motorised	Motorised	Motorised	Motorised	
Horizontal Louvres Movement	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	
Dimensions Without Packaging (cm)	L	46.0	52.5	52.5	52.5	65.1	66	39	39	39
	W	34.0	40.5	40.5	40.5	54.9	53.5	34.6	34.6	34.6
	H	66.0	98	90	81	58.3	55.5	138.8	124.8	105.3
Dimensions With Packaging (cm)	L x W x H	51x38.5x70.2	53.5x42x98	53.5x42x90	53.5x42x98	69.5 X 59.5 X 67.0	72 x 60 x 63	51.7 x 41.5 x 134.3	51.7 x 41.5 x 120.3	51.7 x 41.5 x 104.3
Net Weight (kg)	8.0	11	10	9	12	13.0	12	11	10.5	
Gross Weight (kg)	9.3	13.5	12	11	16	16.0	15.5	15	13	
Stacking	3	3	3	3	3	3	2	2	2	
Product Warranty*	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	
Cooling Area	150 sqft	200 sqft	200 sqft	200 sqft	230 sq ft	230 sq ft	200 sqft	200 sqft	200 sqft	

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. *Warranty is applicable in India only.

BRANCH OFFICES

NORTH REGION

Head Office: 240, Okhla Industrial Estate Phase III, New Delhi 110020
Chandigarh: 840, First Floor, NAC Manimajara, UT Chandigarh - 160101
Rajasthan: C176 Road Number 9J, V.K.I. Area Jaipur - 302013
Uttar Pradesh: 607, 6th floor, Ratan Square Marg, Lucknow - 226001
Noida: C-130, Sector 63, Noida - 201301

EAST REGION

Assam: Nilakshi Talukdar Campus, Opp Vodafone Head Office, NH - 37, Katabari, Guwahati - 781035
Bihar: 4th Floor, Sai Tower, Beside Hotel Utsav, New Dak Bunglow Road. Patna - 800001
Jharkhand: Modi Heights, Phase-1, 4th Floor, Office No - 401, Ratu Road, Near Durga Mandir Ranchi - 834001
Odisha: Badadhanpur, Puri Bypass Road, Bhubaneswar - 751002
West Bengal: 6, Ghore Bibi Lane, Behind Swabhumi, Kolkata - 700054

SOUTH REGION

Telangana: 6-3-1090/C, R K Plazs, 2nd Floor, Raj Bhawan Road, Somajiguda, Hyderabad - 500082
Chennai: Heavtree' 2nd Floor, Unit - B, No-47, Spur Tank Road, Chetpet, Chennai - 600031
Karnataka: SY No. 73, harokyathanahalli dasanapura hobli, makali post Tumkur main road Bangalore - 562162
Kerala: Kollamkuzhi Business Square, 5th Floor, NH bypass, Vyttila, Cochin - 682019

WEST REGION

Chhattisgarh: G.D. Warehousing, Opp. Reliance Petrol Pump Ring Road No. 2, Gondwara, Raipur - Chhattisgarh, India. - 493221
Gujarat: Survey no 107 village jetalpur, near gokulesh rice milltaluka dasroi N.H, 8 Ahmedabad - 382426
Madhya Pradesh: Survey no 275/1/1, Kelodhala, SDA Compound, Dewas Naka Indore - 452010
Mumbai: 604, 6th Floor, Dev Corpora, Cadbury Junction, Eastern Express Highway, Thane (West), Mumbai - 400601
Pune: Gate no 173 Wade bolhai road Vill Kesnand Tal Gaveli Dist Pune - 412207
Nagpur: Shriyash Heights, Block No. 402, 4th Floor, Plot No. 95, Lendra West Precinct, Ramdaspath, Nagpur - 440010



1800 103 7574
Authorized Service Center



CK BIRLA GROUP



FANS • HOME APPLIANCES • LIGHTING • SWITCHGEAR

Orient Electric Limited (a CK Birla Group Company | 240, Okhla Industrial Estate, Phase III, New Delhi-110020

Product also available at:  | Follow us on:     