

USHA®

Inspired by Nature  
Driven by Technology



FANS RANGE  
2023 Edition

**USHA**<sup>®</sup>



**S**tyle and comfort have never complemented each other like this before. Presenting a range of ceiling fans from Usha that will leave you spoilt for choices. A fan to suit every need and every mood. Choose the one that fits your imagination and fills the air with joy and comfort in abundance.

F  
A  
N  
S  
RANGE



## MICROCHIP CONTROLLED 100% COPPER BLDC MOTOR

ENERGY-EFFICIENT, HIGH TORQUE AND  
LOW TEMPERATURE RISE FOR LONGER MOTOR LIFE

The powerful permanent magnets combined with uniform electromagnetic field in its BLDC motor consumes 50% less power thus offering more annual savings than an AC motor fan. While the high torque produced by BLDC motor enables high air delivery, this motor keeps the circuits cool by ensuring minimal heat generation. BLDC motor ensures consistent performance of fan even at low voltage, up to 150 volts. With longer running time on power back-up & inverter, this microchip enabled motor allows the fan to rotate in both clockwise and anti-clockwise direction.



Admire



Horizon Blue



Horizon Blue



Golden Yellow



Imperial Blue



Sparkle White



Sparkle Black

## HELEOUS®

- Aerodynamic ABS blades for smooth and silent air flow
- Microchip controlled 100% Copper BLDC motor
- Point anywhere RF remote
- Bi-Directional movement
- Whisper quiet operation



BI-DIRECTIONAL MOVEMENT



43 W POWER CONSUMPTION



WHISPER-QUIET OPERATION

### Key Specifications:



Air Delivery  
260 m<sup>3</sup>/min



Speed  
310 rpm



Sweep Size  
1.2 m (1200 mm)

**100%  
COPPER MOTOR**  
WITH HIGH TORQUE

**Microchip+  
BLDC**  
100% COPPER MOTOR





Admire



Black



MULTI-DIRECTIONAL REMOTE

### E-Series-Ex9 Glo™

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Illuminated ring with 3 CCT light
- Point anywhere RF remote
- Automotive finish design
- Whisper quiet operation



White

Brown

Black

#### Key Specifications:



Air Delivery  
240 m<sup>3</sup>/min



Speed  
300 rpm



Sweep Size  
1.2 m (1200 mm)





Admire



Moonlight Black

### E-Series-Ex9™

- Automotive inspired design
- 3 Layered automotive paint for radiant finish and protection against dust & corrosion
- 16 Pole high torque motor
- Whisper quiet operation



#### Key Specifications:

- Air Delivery 240 m<sup>3</sup>/min
- Sweep Size 1.2 m (1200 mm)
- Speed 300 rpm





Baker's Brown



IR REMOTE

## Grandiose

- Decorative designer underlight fan with dimmable led light, 3 CCT
- 100% Copper Motor with BEE star rating for energy consumption
- Convenience of IR remote
- High air delivery
- Metallic paint finish



Hues Gold

Admiral Blue

Pearl White

Baker's Brown

### Key Specifications:

-  Air Delivery 225 m<sup>3</sup>/min
-  Sweep Size 1.2 m (1200 mm)
-  Speed 350 rpm





Admire



Antique Brass

## Aldora

- Electroplated for aesthetic appeal
- 260 m<sup>3</sup>/min high air delivery
- High lift angle of blades for wider air spread
- 4 Blade fan with 1320 mm sweep size



Antique Copper

Brushed Black Chrome

Antique Brass

Brushed Nickel

### Key Specifications:



Air Delivery  
250 m<sup>3</sup>/min



Sweep Size  
1.32 m (1320 mm)



Speed  
260 rpm



**100%  
COPPER MOTOR**  
WITH HIGH TORQUE






Antique Brass



## Fontana One

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation



Gold Ivory  
(With Underlight)


Antique Brass  
(With Underlight)

Gold Ivory  
(without Underlight)

Antique Brass  
(without Underlight)

### Key Specifications:

 Air Delivery  
205 m<sup>3</sup>/min

 Sweep Size  
1.27 m (1270 mm)

 Speed  
300 rpm


**100%  
COPPER MOTOR**  
WITH HIGH TORQUE




Admire



Gold Ivory



Gold Ivory  
(With Underlight)



Gold Ivory  
(Without Underlight)

## Fontana Orchid

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation

### Key Specifications:



Air Delivery  
205 m<sup>3</sup>/min



Sweep Size  
1.28 m (1280 mm)



Speed  
300 rpm



**100%**  
COPPER MOTOR  
WITH HIGH TORQUE





Antique Brass

## Fontana Maple

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation



Antique Brass  
(With Underlight)



Antique Brass  
(Without Underlight)

### Key Specifications:



Air Delivery  
205 m<sup>3</sup>/min



Sweep Size  
1.25 m (1250 mm)




Speed  
310 rpm



Admire



Steel



Black Chrome (With Underlight)   Steel (With Underlight)   Gold Ivory (With Underlight)   Black Chrome (Without Underlight)   Steel (Without Underlight)   Gold Ivory (Without Underlight)

## Fontana Lotus

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation



### Key Specifications:

-  Air Delivery 205 m<sup>3</sup>/min
-  Sweep Size 1.23 m (1230 mm)
-  Speed 300 rpm

**100%  
COPPER MOTOR**  
WITH HIGH TORQUE



## Inspired by Nature Driven by Technology

### Presenting Onio Series Fans

Introducing the latest designer BLDC motor fans. Inspired from nature and art, driven by latest technology. Onio fan colour series are aesthetically crafted to complement both modern and contemporary decor. There are 6 models with 3 variants in each model. Onio fans give life to your decor by bringing in wide range of exotic colours and designs. Feel the joy of air.

### Unique Features:



Energy Saving



BLDC Motor Technology



RF Remote\*



Power Memory Function



Dust Resistant

\*Available in 3 models only

ONIO Series



Upsilon design is inspired from sharp & bright facets of a solitaire, seated on a geometric base.



Terra Brown



MULTI-DIRECTIONAL REMOTE

## Upsilon™ Plus

- Microchip controlled BLDC Motor technology; BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 230 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Beige

### Key Specifications:

- Air Delivery 230 m<sup>3</sup>/min
- Sweep Size 1.2 m (1200 mm)
- Speed 310 rpm







Graphite Grey

MULTI-DIRECTIONAL REMOTE

## Upsilon™ Beta

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for High Air Delivery of 230 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Sepia Brown



Graphite Grey

### Key Specifications:



Air Delivery  
230 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
310 rpm



AERODYNAMICALLY  
DESIGNED BLADES



38 W POWER  
CONSUMPTION



WHISPER-QUIET  
OPERATION



DUST  
RESISTANT





White



MULTI-DIRECTIONAL REMOTE

*Upsilon*<sup>™</sup>

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 230 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Slate Grey



Terra Brown



Key Specifications:

Air Delivery 230 m<sup>3</sup>/min

Sweep Size 1.2 m (1200 mm)

Speed 310 rpm



Lambda design is inspired from the swirling and swishing motion of air and water.



Terra Brown

MULTI-DIRECTIONAL REMOTE

## Lambda™ Plus

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Oyster White

### Key Specifications:



Air Delivery  
240 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
315 rpm



AERODYNAMICALLY  
DESIGNED BLADES



38 W POWER  
CONSUMPTION



WHISPER-QUIET  
OPERATION



DUST  
RESISTANT





Graphite Grey



MULTI-DIRECTIONAL REMOTE

## Lambda™ Beta

- Microchip controlled BLDC Motor technology; BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White




Beige



Graphite Grey

### Key Specifications:

- Air Delivery 240 m<sup>3</sup>/min
- Sweep Size 1.2 m (1200 mm)
- Speed 315 rpm





Terra Brown

MULTI-DIRECTIONAL REMOTE

## Lambda™

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Beige

### Key Specifications:

-  Air Delivery 240 m<sup>3</sup>/min
-  Sweep Size 1.2 m (1200 mm)
-  Speed 315 rpm



Phi design is Inspired by the rolling mountains and valleys, the symmetric designs of the curve, cascade from the hub of the fan onto the blades replicating crest and troughs. Symbolizing the fresh breeze of the mountains and their natural beauty.



Terra Brown



MULTI-DIRECTIONAL REMOTE

*Phi™ Plus*

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Beige

Key Specifications:

- Air Delivery 240 m<sup>3</sup>/min
- Sweep Size 1.2 m (1200 mm)
- Speed 340 rpm





Graphite Grey



MULTI-DIRECTIONAL REMOTE

## Phi™ Beta

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Silk Grey



Graphite Grey

### Key Specifications:



Air Delivery  
240 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
340 rpm



AERODYNAMICALLY  
DESIGNED BLADES



38 W POWER  
CONSUMPTION



WHISPER-QUIET  
OPERATION



DUST  
RESISTANT

**100%  
COPPER MOTOR**  
WITH HIGH TORQUE

Microchip  
**BLDC**  
100% COPPER MOTOR





*Phi™*

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection

Beige



MULTI-DIRECTIONAL REMOTE



White



Sepia Brown



Beige

Key Specifications:

-  Air Delivery 240 m<sup>3</sup>/min
-  Sweep Size 1.2 m (1200 mm)
-  Speed 340 rpm





Rho design is inspired from the water droplets and ripples created by it on a water surface.



## Rho™ Plus

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Graphite Grey

### Key Specifications:



Air Delivery  
235 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
320 rpm



AERODYNAMICALLY  
DESIGNED BLADES



35 W POWER  
CONSUMPTION



WHISPER-QUIET  
OPERATION



DUST  
RESISTANT

**100%  
COPPER MOTOR**  
WITH HIGH TORQUE

Microchip+  
**BLDC**  
100% COPPER MOTOR





Slate Grey



## Rho™ Beta

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Sepia Brown



Slate Grey

### Key Specifications:

- Air Delivery 235 m<sup>3</sup>/min
- Sweep Size 1.2 m (1200 mm)
- Speed 320 rpm





Black Red



REGULATOR

## Rho™

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White




Silk Grey



Black Red



### Key Specifications:



Pi design is inspired from the aerodynamics of a boomerang, adapted into the fan hub and blade style.



White



REGULATOR

*Pi™ Plus*

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 240 m<sup>3</sup>/min
- Enabled with power memory function
- Design inspired from the aerodynamics of a boomerang, adapted into the fan hub and blade style
- Fan with extra safety wire for added protection



White



Sepia Brown



Graphite Grey



Key Specifications:

 Air Delivery 240 m<sup>3</sup>/min

 Sweep Size 1.2 m (1200 mm)

 Speed 320 rpm





Silk Grey



REGULATOR

## Pi™ Beta

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 240 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Sepia Brown



Silk Grey



### Key Specifications:



Air Delivery  
240 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
320 rpm





Black Red



REGULATOR

*Pi*<sup>TM</sup>

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 240 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Silk Grey



Black Red

Key Specifications:



Air Delivery  
240 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
320 rpm



AERODYNAMICALLY  
DESIGNED BLADES



40 W POWER  
CONSUMPTION



WHISPER-QUIET  
OPERATION



DUST  
RESISTANT



Kappa design is inspired from sand patterns in a zen garden, play of stillness and motion.



Terra Brown



REGULATOR

## Kappa™ Plus

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Beige



### Key Specifications:



Air Delivery  
235 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
320 rpm





Graphite Grey



REGULATOR

## Kappa™ Beta

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Beige



Graphite Grey



### Key Specifications:







Terra Brown



REGULATOR

## Kappa™

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m<sup>3</sup>/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Graphite Grey



Terra Brown

### Key Specifications:



Air Delivery  
235 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
320 rpm



AERODYNAMICALLY  
DESIGNED BLADES



35 W POWER  
CONSUMPTION



WHISPER-QUIET  
OPERATION



DUST  
RESISTANT

**100%  
COPPER MOTOR**  
WITH HIGH TORQUE


Microchip+  
**BLDC**  
100% COPPER MOTOR



**USHA**<sup>®</sup>



Rich White



Rich White

## *Energia 32<sup>TM</sup>*

- High Torque motor and constant speed even at low voltage
- Cool motor with energy efficiency reduces air conditioning bill
- Remote for convenience
- Consumes only 7 W at lowest fan speed
- No humming noise, longer power backup on inverter



### Key Specifications:



Air Delivery  
220 m<sup>3</sup>/min



Speed  
375 rpm

**100%  
COPPER MOTOR**  
WITH HIGH TORQUE

**Microchip+  
BLDC**  
100% COPPER MOTOR






Rich White

## TechnoAir®

- BLDC motor technology working with wall regulator
- Fan with cool motor low temperature rise for better durability
- Super-efficient motor requires just 32 W for high air delivery of 220 m<sup>3</sup>/min
- Fan with extra safety wire for prevention of falling
- Aerodynamic blade design for high air delivery
- Double ball bearing for longer life



Rich Brown



Rich White

### Key Specifications:



Air Delivery  
220 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
350 rpm



## *Let Life Bloom*

### **Presenting Bloom Series Fans**

Welcome the vibrant and delightful array of ceiling fans from USHA. Inspired by the flowers like Daffodil, Primrose and Magnolia, witness an array of aesthetically designed ceiling fans that usher in joy and freshness. Crafted in dual color for the modern décor, these fans will evoke the start of season's clean and healthy air. Bring home freshness and let life bloom forever.

#### **Unique Features:**



Dual Colour  
Designs



Oil & Moisture  
Resistant



Scratch & Stain  
Resistant



Dust Resistant





Sparkle Red & Black

*Bloom Daffodil*<sup>®</sup>

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant.
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust



Sparkle Grey & Black

Sparkle Golden & Brown

Sparkle Red & Black

Sparkle White

Gold & Copper

Smoke Brown

Key Specifications:

-  Air Delivery 240 m<sup>3</sup>/min
-  Sweep Size 1.25 m (1250 mm)
-  Speed 380 rpm



DUAL COLOUR DESIGNS



OIL & MOISTURE RESISTANT



SCRATCH & STAIN RESISTANT



DUST RESISTANT



# Bloom Series



Sparkle Golden & Cherry

## Bloom Primrose®

- Beautifully crafted Dual-Color designs for the modern décor with Goodbye Dust finish
- Dust resistant, Water & Oil resistant and Stain resistant.
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust



Sparkle Golden & Brown

Sparkle Golden & Cherry

Sparkle White

### Key Specifications:

- Air Delivery 225 m<sup>3</sup>/min
- Sweep Size 1.25 m (1250 mm)
- Speed 350 rpm





Bloom Series



Sparkle Grey & Blue

### Bloom Magnolia™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust



#### Key Specifications:

- Air Delivery 225 m<sup>3</sup>/min
- Sweep Size 1.25 m (1250 mm)
- Speed 350 rpm



DUAL COLOUR DESIGNS



OIL & MOISTURE RESISTANT



SCRATCH & STAIN RESISTANT



DUST RESISTANT






# Bloom Series



Sparkle Black & Maroon

## Bloom Bellflower™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Self protective anti-germ nano technology
- 16 Pole 100% copper motor



### Key Specifications:

-  Air Delivery 250 m<sup>3</sup>/min
-  Sweep Size 1.3 m (1300 mm)
-  Speed 380 rpm



DUAL COLOUR  
DESIGNS



OIL & MOISTURE  
RESISTANT



SCRATCH & STAIN  
RESISTANT




DUST  
RESISTANT





Bloom Series



Sparkle Black & Maroon

### Bloom Lily™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- Unique 4 blade design for high air delivery and thrust




#### Key Specifications:

- Air Delivery 250 m<sup>3</sup>/min
- Sweep Size 1.3 m (1300 mm)
- Speed 280 rpm



# Bloom Series



Sparkle White & Silver

## Bloom Dahlia™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- Unique 4 blade design for high air delivery and thrust



### Key Specifications:

-  Air Delivery 250 m<sup>3</sup>/min
-  Sweep Size 1.3 m (1300 mm)
-  Speed 260 rpm



DUAL COLOUR  
DESIGNS



OIL & MOISTURE  
RESISTANT



SCRATCH & STAIN  
RESISTANT



DUST  
RESISTANT

**100%**  
COPPER MOTOR  
WITH HIGH TORQUE





## *A range of fans that keeps dust at bay.*

**GOODBYE DUST** At Usha, we have always been inspired by nature. Our new range of ceiling fans is inspired by the Lotus, known for its dirt and water repelling qualities. The Lotus stays pristinely clean at all times. Coated with superior polyurethane lacquer, our fans resist accumulation of dirt. They are also hydrophobic (water resistant), oleophobic (oil resistant) and extremely easy to clean.



### Unique Features:



Dust Resistant



Oil & Moisture  
Resistant



Scratch & Stain  
Resistant



# USHA®

## GOODBYE DUST



Dark Grey

### Striker Galaxy®

- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern decor
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption



Pearl White



Wooden with Gold Trims



Dark Grey



Mild Grey



Coffee Brown



Bright Gold

#### Key Specifications:



High Air Delivery  
230 m<sup>3</sup>/min



Speed  
385 rpm



Aerodynamically  
designed blades



Sweep Size 1.2 m (1200 mm)  
Also available in sweep sizes of 60 cm (600 mm);  
90 cm (900 mm); 1.05 m (1050 mm) and 1.4 m (1400 mm)



WHISPER-QUIET  
OPERATION



DUST AND SCRATCH  
RESISTANT



DUAL COLOUR  
DESIGNS

**100%  
COPPER MOTOR**  
WITH HIGH TORQUE





GOODBYE DUST



Wooden with Gold Trims

### Striker Platinum™

- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern decor
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption



Pearl White



Wooden with Gold Trims



Carbon Grey



Lavender Chrome



Brown



Dove Grey

#### Key Specifications:



Air Delivery  
230 m<sup>3</sup>/min



High Speed  
385 rpm



Aerodynamically  
designed blades



Sweep Size 1.2 m (1200 mm)  
Also available in sweep sizes of 60 cm (600 mm);  
90 cm (900 mm); 1.05 m (1050 mm) and 1.4 m (1400 mm)



WHISPER-QUIET  
OPERATION



DUST AND SCRATCH  
RESISTANT



DUAL COLOUR  
DESIGNS



# USHA®

## GOODBYE DUST



Dark Brown



Pearl White



Dark Brown



Small Blue



Friar Grey

### Striker Millennium™

- Lacquer metallic paint for better aesthetics
- High air delivery due to unique blade angle
- Double ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for long life
- BEE Star rated ceiling fan for low energy consumption



WHISPER-QUIET OPERATION



DUST AND SCRATCH RESISTANT



DUAL COLOUR DESIGNS

**100% COPPER MOTOR**  
WITH HIGH TORQUE

#### Key Specifications:



Air Delivery  
225 m<sup>3</sup>/min



Speed  
380 rpm



Aerodynamically  
Designed Blades



Sweep Size 1.2 m (1200 mm)  
Also available in sweep sizes of 60 cm (600 mm); 90 cm (900 mm); 1.05 m (1050 mm) and 1.4 m (1400 mm)







GOODBYE DUST



Charcoal

### Super Striker™

- Superior high permeability grade electric steel lamination for longer life
- Beautifully crafted for modern decor
- Wide tip aerodynamic blades for high air delivery & spread
- Double ball bearing for whisper-quiet operation and durability
- BEE Star rated ceiling fan for low energy consumption



Pearl White



Charcoal



Dark Brown



Suva Grey



WHISPER-QUIET OPERATION



DUST AND SCRATCH RESISTANT



DUAL COLOUR DESIGNS

#### Key Specifications:



Air Delivery 230 m<sup>3</sup>/min



Speed 385 rpm



Aerodynamically Designed Blades



Sweep Size 1.2 m (1200 mm)



**U S H A**<sup>®</sup>



Cocoa Bean

## Striker<sup>®</sup> Neo

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption



Pearl White



Grey Brown



Shuttle Gray



Cocoa Bean

### Key Specifications:



High Air Delivery  
225 m<sup>3</sup>/min



Speed  
380 rpm



Sweep Size  
1.2 m (1200 mm)



WHISPER-QUIET  
OPERATION



AERODYNAMICALLY  
DESIGNED BLADES



DUAL COLOUR  
DESIGNS

**100%**  
COPPER MOTOR  
WITH HIGH TORQUE





Spanish Green

## Striker<sup>®</sup> One

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption



Pearl White



Dark Grey



Chocolate Grey



Spanish Green

### Key Specifications:



High Air Delivery  
225 m<sup>3</sup>/min



Speed  
380 rpm



Sweep Size  
1.2 m (1200 mm)



WHISPER-QUIET  
OPERATION



AERODYNAMICALLY  
DESIGNED BLADES



DUAL COLOUR  
DESIGNS

**100%**  
COPPER MOTOR  
WITH HIGH TORQUE



**USHA**<sup>®</sup>



## **UNIVERSAL FANS**


Good looks, great quality make these fans no-nonsense, do good machines. Optimal speeds, attractive looks and efficient functioning make them the all-time favourites any day.



Smoke Brown

### Racer Chrome<sup>®</sup>

- High lift angle of blade for wider air spread
- Beautiful chrome rings and trims to complement the best in class performance
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Glossy powder coated paint for superior finish and longer life



Key Specifications:

- Air Delivery 210 m<sup>3</sup>/min
- High Speed 400 rpm
- Sweep Size 1.2 m (1200 mm)  
Also available in 60 cm (600 mm) & 90 cm (900 mm) sweep sizes



Rich Brown

### Racer<sup>®</sup>

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Glossy powder coated paint for superior finish and longer life



Key Specifications:

- Air Delivery 210 m<sup>3</sup>/min
- High Speed 400 rpm
- Sweep Size 1.2 m (1200 mm)  
Also available in 60 cm (600 mm) & 90 cm (900 mm) sweep sizes





Metallic Black

## Airostrong Angle®

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Metallic paint for superior finish and longer life



Metallic White



Metallic Ivory



Metallic Black



Metallic Luxon Gold Black



### Key Specifications:



Air Delivery  
220 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



High Speed  
390 rpm



Rich White

## Striker®

- Superior high permeability grade electric steel lamination for improved life
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage
- High rpm and unique blade angle provides high air delivery & spread



Rich Brown



Rich Ivory



Matt Brown



Coffee Brown



### Key Specifications:



Air Delivery  
230 m<sup>3</sup>/min



High Speed  
380 rpm



Sweep Size 1.2 m (1200 mm) Also available in sweep sizes of 60 cm (600 mm); 90 cm (900 mm); 1.05 m (1050 mm) & 1.4 m (1400 mm)





Rich Ivory



Matt Brown

### Swift Alpha Chrome®

- Superior high permeability grade electric steel lamination for improved life
- Beautiful chrome rings and trims to complement the best in class performance
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage



Rich Ivory



Smoke Brown



Rich White Gold



Smoke Grey



Rich Ivory



Matt Brown



Rich White



Smoke Grey



Vibrant Blue



Key Specifications:



Air Delivery  
210 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
350 rpm



Key Specifications:



Air Delivery  
210 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
350 rpm







Rich White



Rich Ivory

## Allure™ Deluxe

- Wide tip blades for high air delivery and air spread
- Electroplated decoration for elegant looks
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- V2 grade ball bearing for whisper-quiet operation and durability



Rich Ivory



Rich Brown



Charm Pink



Dew Grey



Rich White



### Key Specifications:



Air Delivery  
225 m<sup>3</sup>/min



Speed  
340 rpm



Sweep Size 1.2 m (1200 mm) Also available in sweep sizes of 60 cm (600 mm); 90 cm (900 mm) & 1.4 m (1400 mm)



## Allure™ Deluxe 4 Blade

- Wide tip blades for high air delivery and air spread
- Electroplated decoration for elegant looks
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- V2 grade ball bearing for whisper-quiet operation and durability



Rich Brown



Rich Ivory



Charm Pink



Dew Grey



Rich White



### Key Specifications:



Air Delivery  
225 m<sup>3</sup>/min



Sweep Size  
1.2 m (1200 mm)



Speed  
330 rpm





Rich Brown



Rich White

### Energia ISI<sup>™</sup>

- High lift angle of blade for wider air spread
- Low power consumption ; ISI Marked and IS 374 marked
- Glossy powder coated paint for superior finish and longer life
- Energy saving fan with power consumption of about 50 W
- Superior high permeability grade electric steel lamination for improved life



Rich Brown



Rich White



### Striker Plus<sup>®</sup>

- Specially designed motor with wider blades for optimum air delivery and speed
- V2 grade ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for improved life
- Superior fan performance from energy saving motor
- Superior grade electric steel lamination for long life



Rich Brown



Rich White



Rich Ivory



Matt Brown



Key Specifications:

Air Delivery 210 m<sup>3</sup>/min Speed 330 rpm

Sweep Size 1.2 m (1200 mm) Also available in 1.4 m (1400 mm)



Key Specifications:

Air Delivery 220 m<sup>3</sup>/min Sweep Size 1.2 m (1200 mm)

Speed 370 rpm





Rich Brown

## Technix Plus™

- 3 Star BEE rated decorative fan with low power consumption of 43 W
- High lift angle of blade for wider air spread
- Saves electricity
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life



Brown Gold



Rich White



White Gold



Ivory Gold



### Key Specifications:



Air Delivery  
215 m<sup>3</sup>/min



Speed  
330 rpm



Sweep Size  
1.2 m (1200 mm)





## Technical Specifications

| Serial No.          | Sweep Size       | Model Name     | Air Delivery            | Power Input | Speed   |
|---------------------|------------------|----------------|-------------------------|-------------|---------|
| <b>Ceiling Fans</b> |                  |                |                         |             |         |
| 1                   | 1.2 m (1200 mm)  | Heleous        | 260 m <sup>3</sup> /min | 43 W        | 310 rpm |
| 2                   | 1.2 m (1200 mm)  | EX9 Glo        | 240 m <sup>3</sup> /min | 40 W        | 300 rpm |
| 3                   | 1.2 m (1200 mm)  | EX9            | 240 m <sup>3</sup> /min | 85 W        | 300 rpm |
| 4                   | 1.2 m (1200 mm)  | Grandiose      | 225 m <sup>3</sup> /min | 55 W        | 350 rpm |
| 5                   | 1.32 m (1320 mm) | Aldora         | 250 m <sup>3</sup> /min | 58 W        | 260 rpm |
| 6                   | 1.25 m (1250 mm) | Fontana Maple  | 220 m <sup>3</sup> /min | 55 W        | 300 rpm |
| 7                   | 1.27 m (1270 mm) | Fontana One    | 220 m <sup>3</sup> /min | 55 W        | 300 rpm |
| 8                   | 1.28 m (1280 mm) | Fontana Orchid | 220 m <sup>3</sup> /min | 55 W        | 300 rpm |
| 9                   | 1.23 m (1230 mm) | Fontana Lotus  | 220 m <sup>3</sup> /min | 55 W        | 300 rpm |
| 10                  | 1.2 m (1200 mm)  | Upsilon        | 230 m <sup>3</sup> /min | 38 W        | 310 rpm |
| 11                  | 1.2 m (1200 mm)  | Upsilon Plus   | 230 m <sup>3</sup> /min | 38 W        | 310 rpm |
| 12                  | 1.2 m (1200 mm)  | Upsilon Beta   | 230 m <sup>3</sup> /min | 38 W        | 310 rpm |
| 13                  | 1.2 m (1200 mm)  | Lambda         | 240 m <sup>3</sup> /min | 38 W        | 315 rpm |
| 14                  | 1.2 m (1200 mm)  | Lambda Plus    | 240 m <sup>3</sup> /min | 38 W        | 315 rpm |
| 15                  | 1.2 m (1200 mm)  | Lambda Beta    | 240 m <sup>3</sup> /min | 38 W        | 315 rpm |
| 16                  | 1.2 m (1200 mm)  | Phi            | 240 m <sup>3</sup> /min | 38 W        | 340 rpm |
| 17                  | 1.2 m (1200 mm)  | Phi Plus       | 240 m <sup>3</sup> /min | 38 W        | 340 rpm |
| 18                  | 1.2 m (1200 mm)  | Phi Beta       | 240 m <sup>3</sup> /min | 38 W        | 340 rpm |
| 19                  | 1.2 m (1200 mm)  | Rho            | 235 m <sup>3</sup> /min | 35 W        | 320 rpm |
| 20                  | 1.2 m (1200 mm)  | Rho Plus       | 235 m <sup>3</sup> /min | 35 W        | 320 rpm |
| 21                  | 1.2 m (1200 mm)  | Rho Beta       | 235 m <sup>3</sup> /min | 35 W        | 320 rpm |
| 22                  | 1.2 m (1200 mm)  | Pi             | 240 m <sup>3</sup> /min | 40 W        | 320 rpm |
| 23                  | 1.2 m (1200 mm)  | Pi Plus        | 240 m <sup>3</sup> /min | 40 W        | 320 rpm |
| 24                  | 1.2 m (1200 mm)  | Pi Beta        | 240 m <sup>3</sup> /min | 40 W        | 320 rpm |
| 25                  | 1.2 m (1200 mm)  | Kappa          | 235 m <sup>3</sup> /min | 35 W        | 320 rpm |
| 26                  | 1.2 m (1200 mm)  | Kappa Plus     | 235 m <sup>3</sup> /min | 35 W        | 320 rpm |
| 27                  | 1.2 m (1200 mm)  | Kappa Beta     | 235 m <sup>3</sup> /min | 35 W        | 320 rpm |
| 28                  | 1.2 m (1200 mm)  | Energia 32     | 220 m <sup>3</sup> /min | 32 W        | 375 rpm |
| 29                  | 1.2 m (1200 mm)  | TechnoAir      | 220 m <sup>3</sup> /min | 32 W        | 350 rpm |
| 30                  | 1.25m (1250 mm)  | Daffodil       | 240 m <sup>3</sup> /min | 58 W        | 350 rpm |
| 31                  | 1.25m (1250 mm)  | Primrose       | 225 m <sup>3</sup> /min | 56 W        | 350 rpm |
| 32                  | 1.25m (1250 mm)  | Magnolia       | 225 m <sup>3</sup> /min | 56 W        | 350 rpm |
| 33                  | 1.3 m (1300 mm)  | Bellflower     | 240 m <sup>3</sup> /min | 58 W        | 300 rpm |
| 34                  | 1.3 m (1300 mm)  | Lily           | 240 m <sup>3</sup> /min | 58 W        | 280 rpm |
| 35                  | 1.3 m (1300 mm)  | Dahlia         | 240 m <sup>3</sup> /min | 58 W        | 260 rpm |

## Technical Specifications

| Serial No.          | Sweep Size       | Model Name            | Air Delivery            | Power Input | Speed   |
|---------------------|------------------|-----------------------|-------------------------|-------------|---------|
| <b>Ceiling Fans</b> |                  |                       |                         |             |         |
| 36                  | 90 cm (900 mm)   | Striker Galaxy        | 150 m <sup>3</sup> /min | 45 W        | 420 rpm |
| 37                  | 1.05 m (1050 mm) | Striker Galaxy        | 180 m <sup>3</sup> /min | 52 W        | 380 rpm |
| 38                  | 1.2 m (1200 mm)  | Striker Galaxy        | 230 m <sup>3</sup> /min | 56 W        | 385 rpm |
| 39                  | 1.4 m (1400 mm)  | Striker Galaxy        | 250 m <sup>3</sup> /min | 60 W        | 315 rpm |
| 40                  | 90 cm (900 mm)   | Striker Platinum      | 150 m <sup>3</sup> /min | 45 W        | 420 rpm |
| 41                  | 1.05 m (1050 mm) | Striker Platinum      | 180 m <sup>3</sup> /min | 52 W        | 380 rpm |
| 42                  | 1.2 m (1200 mm)  | Striker Platinum      | 230 m <sup>3</sup> /min | 56 W        | 385 rpm |
| 43                  | 1.4 m (1400 mm)  | Striker Platinum      | 250 m <sup>3</sup> /min | 60 W        | 315 rpm |
| 44                  | 90 cm (900 mm)   | Striker Millenium     | 150 m <sup>3</sup> /min | 45 W        | 420 rpm |
| 45                  | 1.2 m (1200 mm)  | Striker Millenium     | 225 m <sup>3</sup> /min | 55 W        | 380 rpm |
| 46                  | 1.4 m (1400 mm)  | Striker Millenium     | 250 m <sup>3</sup> /min | 60 W        | 315 rpm |
| 47                  | 1.2 m (1200 mm)  | Super Striker         | 230 m <sup>3</sup> /min | 56 W        | 385 rpm |
| 48                  | 1.2 m (1200 mm)  | Atom                  | 210 m <sup>3</sup> /min | 50 W        | 330 rpm |
| 49                  | 1.2 m (1200 mm)  | Racer Chrome          | 210 m <sup>3</sup> /min | 50 W        | 400 rpm |
| 50                  | 1.2 m (1200 mm)  | Racer                 | 210 m <sup>3</sup> /min | 50 W        | 400 rpm |
| 51                  | 1.2 m (1200 mm)  | Airostrong Angle      | 220 m <sup>3</sup> /min | 54 W        | 390 rpm |
| 52                  | 1.2 m (1200 mm)  | Swift                 | 210 m <sup>3</sup> /min | 50 W        | 350 rpm |
| 53                  | 1.2 m (1200 mm)  | Swift Alpha Chrome    | 210 m <sup>3</sup> /min | 50 W        | 350 rpm |
| 54                  | 1.2 m (1200 mm)  | Striker One           | 225 m <sup>3</sup> /min | 56 W        | 380 rpm |
| 55                  | 1.2 m (1200 mm)  | Striker Neo           | 225 m <sup>3</sup> /min | 55 W        | 380 rpm |
| 56                  | 90 cm (900 mm)   | Striker               | 135 m <sup>3</sup> /min | 43 W        | 400 rpm |
| 57                  | 1.05 m (1050 mm) | Striker               | 180 m <sup>3</sup> /min | 49 W        | 410 rpm |
| 58                  | 1.2 m (1200 mm)  | Striker               | 230 m <sup>3</sup> /min | 55 W        | 380 rpm |
| 59                  | 1.4 m (1400 mm)  | Striker               | 250 m <sup>3</sup> /min | 60 W        | 300 rpm |
| 60                  | 1.2 m (1200 mm)  | Allure Deluxe         | 225 m <sup>3</sup> /min | 54 W        | 340 rpm |
| 61                  | 1.2 m (1200 mm)  | Allure Deluxe 4 Blade | 225 m <sup>3</sup> /min | 55 W        | 330 rpm |
| 62                  | 1.2 m (1200 mm)  | Swift Alpha           | 210 m <sup>3</sup> /min | 50 W        | 350 rpm |
| 63                  | 1.2 m (1200 mm)  | Energia Isl           | 210 m <sup>3</sup> /min | 50 W        | 310 rpm |
| 64                  | 1.2 m (1200 mm)  | Technix Plus          | 215 m <sup>3</sup> /min | 43 W        | 330 rpm |
| 65                  | 1.2 m (1200 mm)  | Striker Plus          | 220 m <sup>3</sup> /min | 52 W        | 370 rpm |

\*Colour and technical feature may vary across products.

# SMART, SENSIBLE AND FLEXIBLE.

## MANY FORMS OF COMFORT



PEDESTAL FANS • TABLE FANS • WALL FANS • EXHAUST FANS • SPECIAL APPLICATION FANS  
RANGE 2023 Edition

Presenting a wide range of companions for comfort. Fans designed to give soothing air to your liking. A series of Pedestal, Table, Wall and Exhaust fans that allow air to sway to your fancies. Be it indoor or outdoor, go ahead and enjoy the joy of comfortable air.

T

P

W

E

**RANGE**

# PEDESTAL FANS

The all season favourite, be it the verandah, house garden or inside your home, these fans are well equipped to convert hot and humid environment to cool and refreshing space. Not just that, they also complement your air conditioners perfectly.








## Cyclotron®

With a Unique grill design to deliver super powerful air throw, USHA Cyclotron is the cutting edge 5 blade fan which not only gives you faster cooling but also comes with silent performance.

 Speed  
1200 rpm

 Air Delivery  
67 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 Air Throw  
9m

 2 Years  
Warranty

Available in:  White  Black



## Helix® XT Hi-Speed

Ensuring high speed performance like this fan comes with an elegant body design and aerodynamic ABS blades to deliver higher air flow.

 Speed  
2200 rpm

 Air Delivery  
100 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 2 Years  
Warranty

Available in:  White


**Common Features:** ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery




## Maxx Air Ultra

Fan with aerodynamically balanced blades for better performance. Auto resettable thermal over load protector for durability. Jerk free movement with uniform oscillation.

 Speed  
1350 rpm

 Air Delivery  
70 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 2 Years  
Warranty

Available in:  White  Light Blue  Maroon  Golden



## Striker<sup>®</sup> Hi-Speed

Strike it big with this high performance fan. This high speed and high air delivery fan is specially designed to suit Indian weather conditions.

 Speed  
2200 rpm

 Air Delivery  
100 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 2 Years  
Warranty

Available in:  White

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery




## Colossus

Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and High air delivery.

 Speed  
1320 rpm

 Air Delivery  
92 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 2 Years  
Warranty

Available in:  Blue  Red  Golden



## Pentacool<sup>®</sup>


Introducing Pentacool 5 blade fans with quiet performance, smooth air flow and high air delivery, experience the magic of 5 blades.

 Speed  
1350 rpm

 Air Delivery  
85 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 2 Years  
Warranty

Available in:  Black & Grey  White & Blue

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



## Mist Air Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.

 Speed  
1350 rpm

 Air Delivery  
70 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 2 Years  
Warranty

Available in:  Dark Blue  Light Blue  Maroon



## Mist Air<sup>®</sup> Icy with Remote

The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer and 5 blade high speed function for icy cool comfort.

 Speed  
1280 rpm

 Air Delivery  
67 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 2 Years  
Warranty

Available in:  White

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



## MaxxAir®

Experience icy cool comfort and assured safety in this elegant dual color fan with a resettable fuse and easy tilting mechanism.



Speed  
1350 rpm



Air Delivery  
70 m<sup>3</sup>/min



Sweep Size  
40 cm (400 mm)



2 Years  
Warranty

Available in:  White  Blue  Orange  Blue Black  Red  Purple

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



## Farrata®

Usha Farrata with its powerful 500 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.



Speed  
1400 rpm




Air Delivery  
90 m<sup>3</sup>/min



Sweep Size  
50 cm (500 mm)



2 Years  
Warranty

Available in:  Grey



## Farrata® EX

Farrata Ex comes with a heavy duty rugged motor and 500 mm metal blades to create powerful air flow in a wide area.



Speed  
1400 rpm



Air Delivery  
100 m<sup>3</sup>/min



Sweep Size  
50 cm (500 mm)



2 Years  
Warranty

Available in:  Grey

**Common Features:** ▶ 100% Copper motor for longer performance ▶ High air delivery large sweep metal blades ▶ Aerodynamic blade design for high air delivery



## Farrata<sup>®</sup> VX

Usha Farrata VX with its powerful 508 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.




## Jet Dlx Oscillating<sup>®</sup>

457.2 mm metal blades, a powerful sturdy motor and wide oscillation. That's what makes Jet Dlx the perfect fan for high air flow.

 Speed  
1350 rpm

 Air Delivery  
100 m<sup>3</sup>/min


 Sweep Size  
50 cm (500 mm)

 2 Years  
Warranty

Available in:  Grey

 Speed  
1400 rpm

 Air Delivery  
90 m<sup>3</sup>/min

 Sweep Size  
45 cm (450 mm)

 1 Year  
Warranty

Available in:  Steel Grey

**Common Features:** ▶ 100% Copper motor for longer performance ▶ High air delivery large sweep metal blades ▶ Aerodynamic blade design for high air delivery

# TABLE FANS

Bring home the perfect company for your balcony, study or your kitchen. Compact and easy to carry, these table fans are the best bet anytime, anywhere. With a wide variety of sweeps, speeds and designs, go ahead and personalise air to your convenience.







## Striker<sup>®</sup> Hi-Speed

Strike it big with this high performance fan. The high speed and high air delivery fan is specially designed to suit Indian weather conditions.



Speed  
2100 rpm



Air Delivery 98 m<sup>3</sup>/min



Sweep Size  
40 cm (400 mm)



2 Years  
Warranty

Available in:  White



## Mist Air<sup>®</sup> Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience



Speed  
1350 rpm



Air Delivery  
70 m<sup>3</sup>/min



Sweep Size  
40 cm (400 mm)



2 Years  
Warranty

Available in:  Dark Blue  Light Blue  Maroon

**Common Features:** ▶ 100% Copper motor for longer performance ▶ High air delivery large sweep metal blades ▶ Aerodynamic blade design for high air delivery



## MaxxAir®

Experience maximum comfort and assured safety in this elegant dual color fan with aerodynamic polypropylene blades for better air delivery and an easy tilting mechanism.

 Speed  
1350 rpm

 Air Delivery  
70 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 2 Years  
Warranty

Available in:  White  Blue  Orange  Blue Black  Red  Purple



## MaxxAir Ultra





Fan with aerofoil plastic blades for high air delivery and auto thermal protection. Jerk free movement with uniform oscillation.

 Speed  
1350 rpm

 Air Delivery  
70 m<sup>3</sup>/min

 Sweep Size  
40 cm (400 mm)

 2 Years  
Warranty

Available in:  White  Light Blue  Maroon  Golden

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Corrosion protection with Plastic blades ▶ 3 Speed settings ▶ Aerodynamic blade design for high air delivery



## Striker® Hi-Speed

Striker is now back with high speed and high air delivery. This fan is specially designed to suit Indian weather conditions. Easy operations with pull cord for speed and oscillation regulation.



Speed  
2100 rpm



Air Delivery  
100 m<sup>3</sup>/min



Sweep Size 30 cm (300 mm)  
Also Available In  
40 cm (400 mm) sweep size.



2 Years  
Warranty

Available in:  White

**Common Features:** ▶ 100% copper motor for longer performance ▶ Easy to operate ▶ Aerodynamic blade design for high air delivery



## Colossus

Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and high air delivery



Speed  
1320 rpm



Air Delivery  
92 m<sup>3</sup>/min



Sweep Size  
40 cm (400 mm)



2 Years  
Warranty

Available in:  Blue  Red  Golden



## Pentacool

Introducing Pentacool 5 blade fans with quiet performance, smooth air flow and high air delivery, experience the magic of 5 blades



Speed  
1350 rpm



Air Delivery  
85 m<sup>3</sup>/min



Sweep Size  
40 cm (400 mm)



2 Years  
Warranty

Available in:  Black & Grey  White & Blue


**Common Features:** ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



## Mist Air® Icy With Remote

The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer function for icy cool comfort.



Available in:  White



## Mist Air® Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.



Available in:  Dark Blue  Light Blue  Maroon

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



## Maxx Air Ultra

Fan with aerofoil plastic blades for high air delivery and auto thermal protection. Jerk free movement with uniform oscillation.



Speed  
1350 rpm



Air Delivery  
70 m<sup>3</sup>/min



Sweep Size  
40 cm (400 mm)



2 Years  
Warranty

Available in:  White  Light Blue  Maroon  Golden



## MaxxAir®

Experience maximum comfort and assured safety in this elegant fan with a resettable fuse and easy tilting mechanism.



Speed  
1350 rpm



Air Delivery  
70 m<sup>3</sup>/min



Sweep Size  
40 cm (400 mm)



2 Years  
Warranty

Available in:  White  Blue  Orange  Red  Blue and Black  Purple

**Common Features:** ▶ 100% copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery

# EXHAUST FANS

Usha's range of exhaust fans control the quality of the air in an enclosed space by getting rid of smoke, moisture, fumes and odour. Their automatic front/back shutter and rust proof body also ensure a healthy and happy environment overall.





## Crisp Air Premia® CV

Suitable for false ceilings, this trendy, automatic back shutter exhaust fan is designed to complement a modern home. Available in 260 X 260 frame size.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 12 cm (120 mm)  | 100 m <sup>3</sup> /h   | 1050 rpm  | 2 years   |



## Crisp Air Premia® AS Plus

Low noise, high rpm exhaust fan with strong air suction. This automatic front shutter exhaust is ideal for window and wall mounted indoor installations.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 15 cm (150 mm)  | 220 m <sup>3</sup> /h   | 1800 rpm  | 2 years   |

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Corrosion protection with rust proof body and blades ▶ Lightweight and low noise performance





## Crisp Air Premia® BV

Suitable for your bathroom or kitchen, this stylish exhaust fan comes with an automatic front shutter with low noise feature. Ideal for glass window mounting.


|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 10 cm (100 mm)  | 70 m <sup>3</sup> /h  | 2250 rpm  | 2 years   |
| 15 cm (150 mm)  | 210 m <sup>3</sup> /h   | 1350 rpm  | 2 years   |



## Crisp Air™ VX

With special blade design for higher suction this lightweight exhaust fan is low on noise and high on fresh air delivery. This fan is suitable for any domestic usage.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 15 cm (150 mm)  | 230 m <sup>3</sup> /h   | 1400 rpm  | 2 years   |
| 20 cm (200 mm)  | 530 m <sup>3</sup> /h   | 1400 rpm  | 2 years   |
| 25 cm (250 mm)  | 750 m <sup>3</sup> /h   | 1350 rpm  | 2 years   |

Available in:  White  Black

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Corrosion protection with rust proof body and blades ▶ Lightweight and low noise performance



## Crisp Air™ AX

Refresh the air around you with this stylish plastic exhaust which comes in attractive colors and a back shutter. This fan is suitable for any domestic usage.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 10 cm (100 mm)  | 140 m <sup>3</sup> /h   | 2400 rpm  | 2 years   |
| 15 cm (150 mm)  | 250 m <sup>3</sup> /h   | 2280 rpm  | 2 years   |

Available in:  White  Ivory



## Crisp Air Premia® AF

Designed to get noticed, this exhaust fan comes with hidden blades and easy screwless installation for low noise performance. Ideal for mounting on a wall, ceiling or glass.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 15 cm (150 mm)  | 350 m <sup>3</sup> /h   | 1800 rpm  | 2 years   |

Available in:  White  Ivory  Stainless Steel

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Corrosion protection with rust proof body and blades ▶ Lightweight and low noise performance



## Striker<sup>®</sup> Hi-Speed

Redefining the future of high performance, USHA Striker Exhaust Fan operates at an ultra high speed to give you a fresh experience 70% faster. Moreover, its 100% Copper motor with ball bearings, making sure the operation is as quiet as possible.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 15 cm (150 mm)  | 450 m <sup>3</sup> /h   | 2350 rpm  | 2 years   |

Available in:  White  Brown  Black



## Turbo<sup>®</sup> Heavy Duty

This ISI: 2312 Marked heavy duty motor metal exhaust fan is specially designed for industrial use. Available in multiple sizes, speeds and in single phase and 3 phase motors.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 30 cm (300 mm)  | 1145/1710 m <sup>3</sup> /h   | 900/1400 rpm  | 2 years   |
| 38 cm (380 mm)  | 2000/3200 m <sup>3</sup> /h   | 900/1400 rpm  | 2 years   |
| 45 cm (450 mm)  | 3900/6120 m <sup>3</sup> /h   | 900/1400 rpm  | 2 years   |
| 60 cm (600 mm)  | 7100/9400 m <sup>3</sup> /h   | 700/900 rpm   | 2 years   |

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Anti corrosive treatment and attractive metal finish ▶ Heavy duty motor for sturdy performance & rugged use



## Aeroclean®

Aeroclean Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 23 cm (230 mm)  | 700 m <sup>3</sup> /h   | 1350 rpm  | 2 years   |
| 30 cm (300 mm)  | 1050 m <sup>3</sup> /h  | 1350 rpm  | 2 years   |



## Aeroclean® Plus

Aeroclean Plus Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy. Packed with heavy duty motor with double ball bearing for longer performance and durability.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 23 cm (230 mm)  | 750 m <sup>3</sup> /h   | 1400 rpm  | 2 years   |
| 30 cm (300 mm)  | 1600 m <sup>3</sup> /h  | 1370 rpm  | 2 years   |

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Corrosion protection with rust proof body and blades ▶ Lightweight and low noise performance



## Aeroclean<sup>®</sup> Pro

Aeroclean Pro high speed exhaust fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of Oil and dust on the blades. They will make your kitchen easy to clean and healthy. High speed exhaust fans for excellent performance.

|  Sweep Size |  Air Delivery |  rpm |  Warranty |
|--|---|---|--|
| 15 cm (150 mm)   | 350 m <sup>3</sup> /h   | 2400 rpm  | 2 years  |
| 23 cm (230 mm)   | 1000 m <sup>3</sup> /h  | 2500 rpm  | 2 years  |

**Common Features:** ▶ 100% Copper motor for longer performance ▶ Special Goodbye Oil and Dust lacquer coating ▶ Heavy duty motor for sturdy performance & rugged use

# SPECIAL FANS

Charm your guests with this one-of-a-kind special application range of fans. They will surprise you with their unique and exclusive features like superior air circulation, sleek design and efficient air delivery.





## Mist Air® Prime

Personalize your comfort with Usha's tower fan. Its 2 hours manual timer, tubular blower and wide oscillation make air flow efficient and effective.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| NA  | 20 m <sup>3</sup> /min  | 1300 rpm  | 1 year  |



## Mist Air® Icy Rotocab

A ceiling mounted fan with a 360 degree oscillation providing wide air coverage and aerodynamically designed blades for better air delivery. This personal fan comes with the convenience of easy assembly.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 40 cm (400 mm)  | 65 m <sup>3</sup> /h  | 1260 rpm  | 2 years   |

**Common Features:** ▶ Wide air coverage ▶ Aerodynamically designed blades ▶ Thermal overload protection



## Dynamo®

A high speed personal fan which can be installed on the wall, table or ceiling. Personalize your comfort with multi-tilting mechanism and easy portability.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 23 cm (230 mm)  | 1100 m <sup>3</sup> /h  | 2650 rpm  | 1 year  |



## Dominaire® Wall

Designed for heavy industrial use, this air circulator has been built aerodynamically with precision built oscillating mechanism and conforms to ISI standards.

|  |  |  |  |
|---|---|---|---|
| Sweep Size  | Air Delivery  | rpm   | Warranty  |
| 45 cm (450 mm)  | 150 m <sup>3</sup> /min   | 1440 rpm  | 1 year  |
| 60 cm (600 mm)  | 270 m <sup>3</sup> /min   | 1440 rpm  | 1 year  |
| 75 cm (750 mm)  | 400 m <sup>3</sup> /min   | 1440 rpm  | 1 year  |

Performance conforms to IS: 2997-1964 standards

**Common Features:** ▶ Multi-utility fans ▶ Compact and attractive modern design ▶ High RPM





## *Dominaire® Pedestal*

Heavy duty performance guaranteed in this pedestal fan with a cast iron base for greater stability and aluminium alloy blades for high air delivery. ISI marked.

|  Sweep Size |  Air Delivery |  rpm |  Warranty |
|--|--|---|--|
| 45 cm (450 mm)   | 150 m <sup>3</sup> /min  | 1440 rpm  | 1 year   |
| 60 cm (600 mm)   | 270 m <sup>3</sup> /min  | 1440 rpm  | 1 year   |
| 75 cm (750 mm)   | 400 m <sup>3</sup> /min  | 1440 rpm  | 1 year   |

Performance conforms to IS: 2997-1964 standards

**Common Features:** ▶ Aluminium alloy blades for high air delivery ▶ Corrosion protection with powder coated paint ▶ Available in multiple sizes

## Technical Specifications

| Serial No.           | Sweep Size     | Model Name               | Air Delivery            | Power Input | Speed    |
|----------------------|----------------|--------------------------|-------------------------|-------------|----------|
| <b>Pedestal Fans</b> |                |                          |                         |             |          |
| 66                   | 40 cm (400 mm) | Cyclotron                | 67 m <sup>3</sup> /min  | 55 W        | 1200 rpm |
| 67                   | 40 cm (400 mm) | Helix XT                 | 100 m <sup>3</sup> /min | 120 W       | 2300 rpm |
| 68                   | 40 cm (400 mm) | Maxx Air Ultra           | 70 m <sup>3</sup> /min  | 55 W        | 1350 rpm |
| 69                   | 40 cm (400 mm) | Striker Hi-Speed         | 100 m <sup>3</sup> /min | 135 W       | 2200 rpm |
| 70                   | 40 cm (400 mm) | Colossus                 | 92 m <sup>3</sup> /min  | 70 W        | 1320 rpm |
| 71                   | 40 cm (400 mm) | Pentacool                | 85 m <sup>3</sup> /min  | 70 W        | 1350 rpm |
| 72                   | 40 cm (400 mm) | Mist Air Flo             | 70 m <sup>3</sup> /min  | 55 W        | 1350 rpm |
| 73                   | 40 cm (400 mm) | Mist Air Icy with Remote | 67 m <sup>3</sup> /min  | 55 W        | 1280 rpm |
| 74                   | 40 cm (400 mm) | MaxxAir                  | 67 m <sup>3</sup> /min  | 55 W        | 1350 rpm |
| 75                   | 50 cm (500 mm) | Farrata VX               | 100 m <sup>3</sup> /min | 150 W       | 1350 rpm |
| 76                   | 50 cm (500 mm) | Farrata                  | 90 m <sup>3</sup> /min  | 160 W       | 1400 rpm |
| 77                   | 50 cm (500 mm) | Farrata EX               | 100 m <sup>3</sup> /min | 160 W       | 1400 rpm |
| 78                   | 45 cm (450 mm) | Jet DLX Oscillating      | 90 m <sup>3</sup> /min  | 120 W       | 1400 rpm |
| 79                   | 45 cm (450 mm) | Cheetah DLX              | 90 m <sup>3</sup> /min  | 130 W       | 2600 rpm |

| Serial No.        | Sweep Size     | Model Name       | Air Delivery           | Power Input | Speed    |
|-------------------|----------------|------------------|------------------------|-------------|----------|
| <b>Table Fans</b> |                |                  |                        |             |          |
| 80                | 40 cm (400 mm) | Striker Hi-Speed | 98 m <sup>3</sup> /min | 120 W       | 2100 rpm |
| 81                | 40 cm (400 mm) | Mist Air Flo     | 70 m <sup>3</sup> /min | 55 W        | 1350 rpm |
| 82                | 40 cm (400 mm) | MaxxAir          | 70 m <sup>3</sup> /min | 55 W        | 1350 rpm |
| 83                | 40 cm (400 mm) | Maxx Air Ultra   | 70 m <sup>3</sup> /min | 55 W        | 1350 rpm |


| Serial No.       | Sweep Size     | Model Name               | Air Delivery            | Power Input | Speed    |
|------------------|----------------|--------------------------|-------------------------|-------------|----------|
| <b>Wall Fans</b> |                |                          |                         |             |          |
| 84               | 40 cm (400 mm) | Cyclotron                | 67 m <sup>3</sup> /min  | 55 W        | 1200 rpm |
| 85               | 40 cm (400 mm) | Helix XT                 | 100 m <sup>3</sup> /min | 120 W       | 2300 rpm |
| 86               | 40 cm (400 mm) | Striker Hi-Speed         | 98 m <sup>3</sup> /min  | 120 W       | 2100 rpm |
| 87               | 30 cm (300 mm) | Striker Hi-Speed         | 75 m <sup>3</sup> /min  | 100 W       | 2100 rpm |
| 88               | 40 cm (400 mm) | Colossus                 | 92 m <sup>3</sup> /min  | 70 W        | 1320 rpm |
| 89               | 40 cm (400 mm) | Pentacool                | 85 m <sup>3</sup> /min  | 70 W        | 1350 rpm |
| 90               | 40 cm (400 mm) | Mist air icy with remote | 67 m <sup>3</sup> /min  | 55 W        | 1280 rpm |
| 91               | 40 cm (400 mm) | Mist Air Flo             | 70 m <sup>3</sup> /min  | 55 W        | 1350 rpm |
| 92               | 40 cm (400 mm) | MaxxAir                  | 70 m <sup>3</sup> /min  | 55 W        | 1350 rpm |
| 93               | 40 cm (400 mm) | Maxx Air Ultra           | 70 m <sup>3</sup> /min  | 55 W        | 1350 rpm |

## Technical Specifications

| Serial No.          | Sweep Size     | Model Name               | Air Delivery           | Power Input | Speed    |
|---------------------|----------------|--------------------------|------------------------|-------------|----------|
| <b>Exhaust Fans</b> |                |                          |                        |             |          |
| 94                  | 12 cm (120 mm) | Crisp Air Premia CV      | 100 m <sup>3</sup> /h  | 19 W        | 1050 rpm |
| 95                  | 15 cm (150 mm) | Crisp Air Premia AS Plus | 220 m <sup>3</sup> /h  | 24 W        | 1800 rpm |
| 96                  | 10 cm (100 mm) | Crisp Air Premia BV      | 70 m <sup>3</sup> /h   | 12 W        | 2250 rpm |
| 97                  | 15 cm (150 mm) | Crisp Air Premia BV      | 210 m <sup>3</sup> /h  | 21 W        | 1350 rpm |
| 98                  | 15 cm (150 mm) | Crisp Air VX             | 230 m <sup>3</sup> /h  | 30 W        | 1400 rpm |
| 99                  | 20 cm (200 mm) | Crisp Air VX             | 530 m <sup>3</sup> /h  | 35 W        | 1400 rpm |
| 100                 | 25 cm (250 mm) | Crisp Air VX             | 750 m <sup>3</sup> /h  | 40 W        | 1350 rpm |
| 101                 | 10 cm (100 mm) | Crisp Air AX             | 140 m <sup>3</sup> /h  | 30 W        | 2400 rpm |
| 102                 | 15 cm (150 mm) | Crisp Air AX             | 250 m <sup>3</sup> /h  | 40 W        | 2280 rpm |
| 103                 | 15 cm (150 mm) | Crisp Air Premia AF      | 250 m <sup>3</sup> /h  | 24 W        | 2100 rpm |
| 104                 | 15 cm (150 mm) | Striker High Speed       | 450 m <sup>3</sup> /h  | 44 W        | 2350 rpm |
| 105                 | 20 cm (200 mm) | Striker High Speed       | 800 m <sup>3</sup> /h  | 60 W        | 2100 rpm |
| 106                 | 15 cm (150 mm) | Aeroclean Pro            | 350 m <sup>3</sup> /h  | 42 W        | 2400 rpm |
| 107                 | 23 cm (230 mm) | Aeroclean Pro            | 1000 m <sup>3</sup> /h | 65 W        | 2500 rpm |
| 108                 | 23 cm (230 mm) | Aeroclean Plus           | 750 m <sup>3</sup> /h  | 45 W        | 1400 rpm |
| 109                 | 30 cm (300 mm) | Aeroclean Plus           | 1600 m <sup>3</sup> /h | 72 W        | 1370 rpm |
| 110                 | 23 cm (230 mm) | Aeroclean                | 700 m <sup>3</sup> /h  | 42 W        | 1350 rpm |
| 111                 | 30 cm (300 mm) | Aeroclean                | 1050 m <sup>3</sup> /h | 55 W        | 1350 rpm |
| 112                 | 30 cm (300 mm) | Turbo Heavy Duty         | 1145 m <sup>3</sup> /h | 55 W        | 900 rpm  |
| 113                 | 30 cm (300 mm) | Turbo Heavy Duty         | 1710 m <sup>3</sup> /h | 90 W        | 1400 rpm |
| 114                 | 38 cm (380 mm) | Turbo Heavy Duty         | 2000 m <sup>3</sup> /h | 100 W       | 900 rpm  |
| 115                 | 38 cm (380 mm) | Turbo Heavy Duty         | 3200 m <sup>3</sup> /h | 160 W       | 1400 rpm |
| 116                 | 45 cm (450 mm) | Turbo Heavy Duty         | 3900 m <sup>3</sup> /h | 145 W       | 900 rpm  |
| 117                 | 45 cm (450 mm) | Turbo Heavy Duty         | 6120 m <sup>3</sup> /h | 410 W       | 1400 rpm |
| 118                 | 60 cm (600 mm) | Turbo Heavy Duty         | 7100 m <sup>3</sup> /h | -           | 700 rpm  |
| 119                 | 60 cm (600 mm) | Turbo Heavy Duty         | 9400 m <sup>3</sup> /h | 550 W       | 900 rpm  |

| Serial No.          | Sweep Size     | Model Name           | Air Delivery            | Power Input | Speed    |
|---------------------|----------------|----------------------|-------------------------|-------------|----------|
| <b>Special Fans</b> |                |                      |                         |             |          |
| 120                 | N/A            | Mist Air Prime       | 20 m <sup>3</sup> /min  | 35 W        | 1300 rpm |
| 121                 | 40 cm (400 mm) | Mist Air Icy Rotocab | 65 m <sup>3</sup> /min  | 50 W        | 1260 rpm |
| 122                 | 23 cm (230 mm) | Dynamo               | 1100 CMH                | 58 W        | 2650 rpm |
| 123                 | 45 cm (450 mm) | Dominaire Wall       | 150 m <sup>3</sup> /min | 100 W       | 1440 rpm |
| 124                 | 60 cm (600 mm) | Dominaire Wall       | 270 m <sup>3</sup> /min | 180 W       | 1440 rpm |
| 125                 | 75 cm (750 mm) | Dominaire Wall       | 400 m <sup>3</sup> /min | 250 W       | 1440 rpm |
| 126                 | 45 cm (450 mm) | Dominaire Pedestal   | 150 m <sup>3</sup> /min | 100 W       | 1440 rpm |
| 127                 | 60 cm (600 mm) | Dominaire Pedestal   | 270 m <sup>3</sup> /min | 180 W       | 1440 rpm |
| 128                 | 75 cm (750 mm) | Dominaire Pedestal   | 400 m <sup>3</sup> /min | 250 W       | 1440 rpm |


\*Colour and technical feature may vary across products.



[ushafans.com](http://ushafans.com)

 [facebook.com/FansbyUsha/](https://facebook.com/FansbyUsha/)

 [twitter.com/UshalntI](https://twitter.com/UshalntI)

 [instagram.com/usha\\_international/](https://instagram.com/usha_international/)

**USHA care<sup>™</sup>**  
**1800-1033-111**  
Toll Free

Terms and conditions:  
Colours and graphics shown are for representation purpose only, actual product colours may vary. Conditions apply. Due to innovation/Technical improvements, the specifications are subject to change without prior notice.