

**AQUAGUARD
NOW WITH
DOUBLE GOODNESS
OF COPPER AND ZINC™*#**



*Copper and Zinc Infusion in adherence to IS 10500:2012 Drinking water specification (Acceptable limit).

#Double Goodness implies the Goodness of Copper and Zinc as compared to earlier products of Aquaguard with only Copper.

Aquaguard[®]

— WITH —

ACTIVE
COPPER  ZINC^{TM*#}
BOOSTER



*Copper and Zinc Infusion in adherence to IS 10500:2012 Drinking water specification (Acceptable limit).
*Double Goodness implies the Goodness of Copper and Zinc as compared to earlier products of Aquaguard with only Copper.

Aquaguard[®]

— WITH —

Toughness of Stainless Steel



Superior
Grade 304 SS



Anti-corrosive



Tough & Durable





ZINC BOOSTER WITH GOODNESS OF ACTIVE COPPER

The world today has become more cautious about health. People are now inclined towards consuming micro-nutrients to stay healthy. Zinc is one such micro-nutrient and with the dedicated efforts of our experienced scientists, you can now get the goodness of Zinc in your water.

Aquaguard, the leader in water purification has once again showcased its superiority by giving you an Upgrade with an advanced Zinc Booster™*#.

So, enjoy pure and healthy drinking water that has the Double Goodness of Copper and Zinc.

ACTIVE
COPPER  ZINC™*#
BOOSTER

*Copper and Zinc Infusion in adherence to IS 10500:2012 Drinking water specification (Acceptable limit).

#Double Goodness implies the Goodness of Copper and Zinc as compared to earlier products of Aquaguard with only Copper.

NEW-AGE TECHNOLOGY FOR NEW-AGE PURIFICATION

Superior RO Purification

Removes contaminants like lead & mercury and eliminates disease-causing viruses and bacteria.



UV e-boiling™

Ensures that each drop of water is as pure and healthy as water boiled for 20+ minutes.

Taste Adjuster Technology^

The advanced Taste Adjuster technology ensures sweet tasting water irrespective of its source.

Only Taste Adjuster enables the water purifier to work in various technology combination basis the input water quality.



Mineral Guard™+

Helps retain essential minerals like Magnesium & Calcium to give you healthy drinking water.

Zero Pressure Pump

Works at zero pressure and also creates suction of up to 3 feet, eliminating the need of buying an additional booster pump.



BLAZE RO+UV+TA+HOT+SS



Features

- Hot water at the push of a button
- Patented Active Copper with Zinc Booster™™ Technology
- Stainless Steel Tank with Lifetime Warranty
- Patented Mineral Guard™™ Technology
- Taste Adjuster*
- Works even at zero water pressure

Dimensions (WxDxH) in mm: 440 x 330 x 490



For Multiple Sources of Water
TDS up to 2,000 ppm

EDEN RO+UV+TA+SS



Features

- Patented Active Copper with Zinc Booster™™ Technology
- Stainless Steel Tank with Lifetime Warranty
- Patented Mineral Guard™™ Technology
- In-built Tray
- Taste Adjuster*
- DIY (Do it Yourself)

Dimensions (WxDxH) in mm: 350 x 275 x 530



For Multiple Sources of Water
TDS up to 2,000 ppm

BLAZE RO+HOT+SS



Features

- Hot water at the push of a button
- Patented Active Copper with Zinc Booster™™ Technology
- Stainless Steel Tank with Lifetime Warranty
- Patented Mineral Guard™™ Technology
- Works even at zero water pressure

Dimensions (WxDxH) in mm: 440 x 330 x 490



For Multiple Sources of Water
TDS up to 2,000 ppm

ESSENCE RO+AUTO UV



Features

- With the goodness of 7 Ayurvedic ingredients
- Patented Active Copper with Zinc Booster™™ Technology
- Patented Mineral Guard™™ Technology
- RO Purification
- Works even at zero water pressure
- Dual Dispense with Touch Sense Technology

Dimensions (WxDxH) in mm: 367 x 314 x 567



For Multiple Sources of Water
TDS up to 2,000 ppm

SUPERB UNDER THE COUNTER RO+UV+TG



MRP: ₹28,000

Features

- Patented Active Copper with Zinc Booster™™ Technology
- Patented Mineral Guard™™ Technology
- RO Purification
- UV e-boiling™
- Patented Tasteguard Technology™

Dimensions (WxDxH) in mm: 435 x 115 x 410



For Multiple Sources of Water
TDS up to 2,000 ppm



Tasteguard Technology automatically senses & chooses the optimum purification process

AQUAGUARD UNDER THE COUNTER RO



MRP: ₹18,500

Features

- Patented Active Copper with Zinc Booster™™ Technology
- Patented Mineral Guard™™ Technology
- RO Purification
- High storage capacity of 8 litres

Dimensions (WxDxH) in mm: 316 x 251 x 462



For Multiple Sources of Water
TDS up to 2,000 ppm

AQUAGUARD UNDER THE COUNTER RO+UV+TA



MRP: ₹22,000

Features

- Patented Active Copper with Zinc Booster™™ Technology
- Patented Mineral Guard™™ Technology
- UV e-boiling™
- High storage capacity of 8 litres
- Taste Adjuster*

Dimensions (WxDxH) in mm: 316 x 251 x 462



For Multiple Sources of Water
TDS up to 2,000 ppm

AQUAGUARD UNDER THE COUNTER UV



MRP: ₹16,499

Features

- Patented Active Copper with Zinc Booster™™ Technology
- Patented Mineral Guard™™ Technology
- UV e-boiling™
- High storage capacity of 8 litres

Dimensions (WxDxH) in mm: 316 x 251 x 462



For Municipal Water
TDS up to 200 ppm

ROYALE RO+UV+TA+SS



MRP: ₹25,500



Stainless Steel Tank

Features

- Patented Active Copper with Zinc Booster™™™™ Technology
- Stainless Steel Tank with Lifetime Warranty
- Patented Mineral Guard™™™™ Technology
- Taste Adjuster™™™™
- Works even at zero water pressure

Dimensions (WxDxH) in mm: 325 x 260 x 475



For Multiple Sources of Water
TDS up to 2,000 ppm

ROYALE UV+UF+SS



MRP: ₹18,000



Stainless Steel Tank

Features

- Patented Active Copper with Zinc Booster™™™™ Technology
- Stainless Steel Tank with Lifetime Warranty
- Patented Mineral Guard™™™™ Technology
- Ultra-Filtration delivers crystal clear water
- UV e-boiling™™™™

Dimensions (WxDxH) in mm: 325 x 260 x 475



For Municipal Water
TDS up to 200 ppm

ROYALE RO+SS



MRP: ₹21,000



Stainless Steel Tank

Features

- Patented Active Copper with Zinc Booster™™™™ Technology
- Stainless Steel Tank with Lifetime Warranty
- Patented Mineral Guard™™™™ Technology
- Works even at zero water pressure

Dimensions (WxDxH) in mm: 325 x 260 x 475



For Multiple Sources of Water
TDS up to 2,000 ppm

ROYALE RO+UV+TA+ABS



MRP: ₹24,500

Features

- Patented Active Copper with Zinc Booster™™™™ Technology
- Patented Mineral Guard™™™™ Technology
- RO Purification
- UV e-boiling™™™™
- Taste Adjuster™™™™
- Works even at zero water pressure

Dimensions (WxDxH) in mm: 325 x 260 x 475



For Multiple Sources of Water
TDS up to 2,000 ppm

CRYSTAL NXT HR RO+UV+TA



Features

- Patented Active Copper with Zinc Booster™ Technology
- Patented Mineral Guard™ Technology
- UV e-boiling™
- High recovery up to 75% water savings
- Superior high recovery RO membrane
- Taste Adjuster*

Dimensions (WxDxH) in mm: 316 x 251 x 462



For Multiple Sources of Water
TDS up to 1,500 ppm

CRYSTAL NXT UV+UF BOOSTER



Features

- Patented Active Copper with Zinc Booster™ Technology
- Patented Mineral Guard™ Technology
- UV e-boiling™
- In-built booster pump
- Ultra-Filtration delivers crystal clear water

Dimensions (WxDxH) in mm: 316 x 251 x 462



For Municipal Water
TDS up to 200 ppm

CRYSTAL NXT RO+UV+TA



Features

- Patented Active Copper with Zinc Booster™ Technology
- RO Purification
- UV e-boiling™
- Works even at zero water pressure
- Taste Adjuster*

Dimensions (WxDxH) in mm: 316 x 251 x 462



For Multiple Sources of Water
TDS up to 2,000 ppm

CRYSTAL NXT UV+UF



Features

- Patented Active Copper with Zinc Booster™ Technology
- Patented Mineral Guard™ Technology
- UV e-boiling™
- Ultra-Filtration delivers crystal clear water

Dimensions (WxDxH) in mm: 316 x 251 x 462



For Municipal Water
TDS up to 200 ppm

CRYSTAL NXT UV+AYUR



MRP: ₹18,500

AYUR
FRESH™

Semi-concealable
Design

Features

- With the goodness of 7 Ayurvedic ingredients
- Patented Active Copper with Zinc Booster™ Technology
- UV e-boiling™
- Patented Mineral Guard™ Technology
- Dual Dispense with Touch Sense Technology

Dimensions (WxDxH) in mm: 313 x 167 x 423



For Municipal Water
TDS up to 200 ppm

CRYSTAL NXT UV+



MRP: ₹11,000

Semi-concealable
Design

Features

- Patented Active Copper with Zinc Booster™ Technology
- Patented Mineral Guard™ Technology
- UV e-boiling™

Dimensions (WxDxH) in mm: 313 x 167 x 423



For Municipal Water
TDS up to 200 ppm

CRYSTAL NXT UV+HOT



MRP: ₹16,500

Semi-concealable
Design

Features

- Hot, warm & ambient water at the push of a button
- Patented Active Copper with Zinc Booster™ Technology
- Patented Mineral Guard™ Technology
- UV e-boiling™

Dimensions (WxDxH) in mm: 313 x 167 x 423



For Municipal Water
TDS up to 200 ppm

NEO ALKALINE RO+UV+TA



MRP: ₹20,500

ALKALINE BOOST



Features

- Alkaline Boost technology instantly enhances the pH level of the water
- RO Membrane
- UV-C Purification
- Taste Adjuster
- Smart LED Indication

Dimensions (WxDxH) in mm: 320 x 275 x 476



For Multiple Sources of Water
TDS up to 2,000 ppm

NEO RO+UV+TA+MC



MRP: ₹19,000

Features

- Mineral Charge Technology
- RO Purification
- UV-C Purification
- Taste Adjuster*
- Smart LED Indication

Dimensions (WxDxH) in mm: 320 x 275 x 476



For Multiple Sources of Water
TDS up to 2,000 ppm

NEO UV+UF



MRP: ₹12,500

Features

- Mineral Charge Technology
- UV-C Purification
- Ultra-Filtration delivers crystal clear water
- Smart LED Indication

Dimensions (WxDxH) in mm: 320 x 275 x 476



For Municipal Water
TDS up to 200 ppm

Aquaguard®

— WITH —

ACTIVE
COPPER  ZINC™*#
BOOSTER

Only **Aquaguard**[®] gives you



Trust of over
15 million mothers**



Owned by over
1.62 lakh plus doctors



Tested & Certified by over
130 plus leading National and
International laboratories



Service within 5 kms.
range of wherever
you are



Over 21 different technologies
to address 21 different water
conditions across the country

*Copper and Zinc Infusion in adherence to IS 10500:2012 Drinking water specification (Acceptable limit).

**Double Goodness implies the Goodness of Copper and Zinc as compared to earlier products of Aquaguard with only Copper.

***Ayur Fresh refers to feeling fresh and hydrated after drinking the purified water with the blend of Ayurvedic ingredients.

*Patent No. 281750. ^Taste Adjuster refers to Manual TDS controller (MTDS).

**As per Superbrands and Reader's Digest.

Colour/Graphics of the product shown on the carton may vary from the actual.

For best use of the product, please refer to the User Guide.



For more details please refer to T&C mentioned on the Company's website.

CIN: L27310MH2008PLC188478

Corporate Office: B1/B2, 701, 7th Floor, Marathon Innova Marathon NextGen, Off
Ganpatrao Kadam Marg, Lower Parel, Mumbai-400 013, India.

Tel.: +91 22 4882 1700, 6260 1888 | Fax: + 91 22 4882 1701