



FANS RANGE 2023 Edition





Style and comfort have never complemented each other like this before. Presenting a range of ceiling fans from Usha that will leave you spoilt for choices. A fan to suit every need and every mood. Choose the one that fits your imagination and fills the air with joy and comfort in abundance.

RANGE



MICROCHIP CONTROLLED 100% COPPER BLDC MOTOR

ENERGY-EFFICIENT, HIGH TORQUE AND LOW TEMPERATURE RISE FOR LONGER MOTOR LIFE

The powerful permanent magnets combined with uniform electromagnetic field in its BLDC motor consumes 50% less power thus offering more annual savings than an AC motor fan. While the high torque produced by BLDC motor enables high air delivery, this motor keeps the circuits cool by ensuring minimal heat generation. BLDC motor ensures consistent performance of fan even at low voltage, up to 150 volts. With longer running time on power back-up & inverter, this microchip enabled motor allows the fan to rotate in both clockwise and anti-clockwise direction.





• Whisper quiet operation











WHISPER-QUIET OPERATION

Key Specifications:



Air Delivery 260 m³/min



Speed 310 rpm



Sweep Size 1.2 m (1200 mm)









E-Series-Ex9 Glo™

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Illuminated ring with 3 CCT light
- · Point anywhere RF remote
- · Automotive finish design
- Whisper quiet operation





Key Specifications:



Air Delivery 240 m³/min



Speed 300 rpm



Sweep Size 1.2 m (1200 mm)











E-Series-Ex9™

- Automotive inspired design
- 3 Layered automotive paint for radiant finish and protection againt dust & corrosion
- 16 Pole high torque motor
- Whisper quiet operation





Key Specifications:



Air Delivery 240 m³/min



Sweep Size 1.2 m (1200 mm)











Grandiose

- Decorative designer underlight fan with dimmable led light, 3 CCT
- 100% Copper Motor with BEE star rating for energy consumption
- · Convenience of IR remote
- High air delivery
- Metallic paint finish





IR REMOTE

Key Specifications:



Air Delivery 225 m³/min



Sweep Size 1.2 m (1200 mm)







Admire



Aldora

- Electroplated for aesthetic appeal
- 260 m3/min high air delivery
- · High lift angle of blades for wider air spread
- 4 Blade fan with 1320 mm sweep size





Key Specifications:



Air Delivery 250 m³/min



Sweep Size 1.32 m (1320 mm)







USHA

Admire



Fontana One

- · Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation





Key Specifications:



Air Delivery 205 m³/min



Sweep Size 1.27 m (1270 mm)









Fontana Orchid

- · Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation





Key Specifications:



Air Delivery 205 m³/min



Sweep Size 1.28 m (1280 mm)



Speed 300 rpm





Admire



- 3 Speed pull cord control for speed regulation



Key Specifications:



Air Delivery 205 m³/min



Sweep Size 1.25 m (1250 mm)








Admire





- Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation





Underlight) Underlight)

Key Specifications:

Steel



Air Delivery 205 m³/min



Underlight) Underlight) Underlight)

Sweep Size 1.23 m (1230 mm)



Speed 300 rpm



Underlight)







Inspired by Nature Driven by Technology

Presenting Onio Series Fans

Introducing the latest designer BLDC motor fans.
Inspired from nature and art, driven by latest technology.
Onio fan colour series are aesthetically crafted to complement both modern and contemporary decor.
There are 6 models with 3 variants in each model.
Onio fans give life to your decor by bringing in wide range of exotic colours and designs. Feel the joy of air.

Unique Features:



Energy Saving



BLDC Motor Technology



RF Remote*



Power Memory Function



Dust Resistant









Upsilon design is inspired from sharp & bright facets of a solitaire, seated on a geometric base.

Upsilon™Plus

- · Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- · Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 230 m³/min
- Enabled with power memory function
- · Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection

















MULTI-DIRECTIONAL REMOTE



Terra Brown

Beige

Key Specifications:



Terra Brown

Air Delivery 230 m³/min



Sweep Size 1.2 m (1200 mm)











Upsilon™Beta

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- · Point anywhere RF remote
- High torque, 100% Copper motor for High Air Delivery of 230 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



















Graphite Grey

Key Specifications:



Air Delivery 230 m³/min



Sweep Size 1.2 m (1200 mm)

















- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 230 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection

















MULTI-DIRECTIONAL REMOTE



Key Specifications:



Air Delivery 230 m³/min



Sweep Size 1.2 m (1200 mm)











Lambda™Plus

- · Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- · Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection





















Key Specifications:



Air Delivery 240 m³/min



Sweep Size 1.2 m (1200 mm)















Lambda™Beta

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- · Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection







Key Specifications:



Air Delivery 240 m³/min



Sweep Size 1.2 m (1200 mm)

























Lambda™

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



















Terra Brown

Beige

Key Specifications:



Air Delivery 240 m³/min



Sweep Size 1.2 m (1200 mm)













Phi design is Inspired by the rolling mountains and valleys, the symmetric designs of the curve, cascade from the hub of the fan onto the blades replicating crest and troughs. Symbolizing the fresh breeze of the mountains and their natural beauty.



- · Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- · Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- · Enabled with power memory function
- · Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection

















MULTI-DIRECTIONAL REMOTE



Key Specifications:



Terra Brown

Air Delivery 240 m³/min



Sweep Size (* 1.2 m (1200 mm)













Phi™Beta

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection















White



Air Delivery 240 m³/min



Sweep Size 1.2 m (1200 mm)

Silk Grey



Speed 340 rpm





Graphite Grey









Phi™

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection















White



Air Delivery 240 m³/min



Sweep Size 1.2 m (1200 mm)

Sepia

Brown



Speed 340 rpm





Beige





Rho™Plus

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- · Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection





















Air Delivery 235 m³/min



Sweep Size 1.2 m (1200 mm)











Rho™Beta

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection















Brown





Air Delivery 235 m³/min



Sweep Size 1.2 m (1200 mm)











Rho™

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



















Key Specifications:



Air Delivery 235 m³/min



Sweep Size 1.2 m (1200 mm)













Pi design is inspired from the aerodynamics of a boomerang, adapted into the fan hub and blade style.



- · Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- · Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- · Design inspired from the aerodynamics of a boomerang, adapted into the fan hub and blade style
- Fan with extra safety wire for added protection

















Brown



Key Specifications:



DEME

White

Air Delivery 240 m³/min



REGULATOR

Sweep Size 1.2 m (1200 mm)











Pi™Beta

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection

















Brown



Key Specifications:



Air Delivery 240 m³/min



Sweep Size 1.2 m (1200 mm)













- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- · Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



















Key Specifications:



Air Delivery 240 m³/min



Sweep Size 1.2 m (1200 mm)











Kappa™Plus

- · Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- · Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- · Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



















Key Specifications:



Air Delivery 235 m³/min



REGULATOR

Sweep Size 1.2 m (1200 mm)











Kappa™Beta

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



















Key Specifications:



Air Delivery 235 m³/min



Sweep Size 1.2 m (1200 mm)











Kappa™

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection

















Grey



Key Specifications:



Air Delivery 235 m³/min



Sweep Size 1.2 m (1200 mm)












Energia 32™

- High Torque motor and constant speed even at low voltage
- Cool motor with energy efficiency reduces air conditioning bill
- · Remote for convenience
- Consumes only 7 W at lowest fan speed
- No humming noise, longer power backup on inverter



Key Specifications:



Air Delivery 220 m³/min



Speed 375 rpm












TechnoAir®

- BLDC motor technology working with wall regulator
- Fan with cool motor low temperature rise for better durability
- Super-efficient motor requires just 32 W for high air delivery of 220 m3/min
- · Fan with extra safety wire for prevention of falling
- Aerodynamic blade design for high air delivery
- · Double ball bearing for longer life







Key Specifications:



Air Delivery 220 m³/min

Speed 350 rpm



Sweep Size 1.2 m (1200 mm)









Let Life Bloom

Presenting Bloom Series Fans

Welcome the vibrant and delightful array of ceiling fans from USHA. Inspired by the flowers like Daffodil, Primrose and Magnolia, witness an array of aesthetically designed ceiling fans that usher in joy and freshness. Crafted in dual color for the modern décor, these fans will evoke the start of season's clean and healthy air. Bring home freshness and let life bloom forever.

Unique Features:



Dual Colour Designs



Oil & Moisture Resistant



Scratch & Stain Resistant



Dust Resistant



















Key Specifications:



Air Delivery 240 m³/min



Sweep Size 1.25 m (1250 mm)



Speed 380 rpm







Bloom Primrose®

- Beautifully crafted Dual-Color designs for the modern décor with Goodbye Dust finish
- Dust resistant, Water & Oil resistant and Stain resistant.
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust









Key Specifications:





Golden & Brown Golden & Cherry

Air Delivery Sweep Size 1.25 m (1250 mm)

White



Speed 350 rpm









Bloom Series

Sparkle Grey & Blue

Bloom Magnolia™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- · Unique blade design for high air delivery and thrust



















Sparkle



Golden & Brown Grey & Blue



Sparkle

Air Delivery 225 m³/min Sweep Size 1.25 m (1250 mm)

Sparkle

White



Speed 350 rpm



















Key Specifications:



Air Delivery 250 m³/min



Sweep Size 1.3 m (1300 mm)



Speed 380 rpm









Bloom Lily™

- · Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- · Unique 4 blade design for high air delivery and thrust













Key Specifications:





Air Delivery 250 m³/min Sweep Size 1.3 m (1300 mm)



Speed 280 rpm









Bloom Dahlia™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- Unique 4 blade design for high air delivery and thrust















Key Specifications:





Air Delivery Sweep Size 1.3 m (1300 mm)



Speed 260 rpm







A range of fans that keeps dust at bay.

GOODBYE DUST At Usha, we have always been inspired by nature. Our new range of ceiling fans is inspired by the Lotus, known for its dirt and water repelling qualities. The Lotus stays pristinely clean at all times. Coated with superior polyurethane lacquer, our fans resist accumulation of dirt. They are also hydrophobic (water resistant), oleophobic (oil resistant) and extremely easy to clean.



Unique Features:







Resistant





- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption











Key Specifications:

Mild

Grey



High Air Delivery 230 m³/min



Speed 385 rpm



Coffee

Brown

Aerodynamically designed blades



Sweep Size 1.2 m (1200 mm)
Also available in sweep sizes of 60 cm (600 mm);
90 cm (900 mm); 1.05 m (1050 mm) and 1.4 m (1400 mm)



Bright

Gold



GOODBYE DUST



Striker Platinum™

- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern decor
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption

















White



Wooden with Gold Trims



Brown



Carbon Grey



Dove Grey

Key Specifications:



Air Delivery 230 m³/min



High Speed 385 rpm



Aerodynamically designed blades



Sweep Size 1.2 m (1200 mm)

Also available in sweep sizes of 60 cm (600 mm);
90 cm (900 mm); 1.05 m (1050 mm) and 1.4 m (1400 mm)





Striker Millennium™

- · Lacquer metallic paint for better aesthetics
- · High air delivery due to unique blade angle
- Double ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for long life
- BEE Star rated ceiling fan for low energy consumption



















Brown



Friar Grey

Key Specifications:



Air Delivery 225 m³/min



Speed 380 rpm



Aerodynamically Designed Blades



Sweep Size 1.2 m (1200 mm)
Also available in sweep sizes of 60 cm (600 mm); 90 cm (900 mm); 1.05 m (1050 mm) and 1.4 m (1400 mm)



GOODBYE DUST





- Superior high permeability grade electric steel lamination for longer life
- · Beautifully crafted for modern decor
- Wide tip aerodynamic blades for high air delivery & spread
- Double ball bearing for whisper-quiet operation and durability
- BEE Star rated ceiling fan for low energy consumption





Charcoal

Key Specifications:



Air Delivery 230 m³/min



Speed 385 rpm



Aerodynamically Designed Blades

















Striker® Neo

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- · Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption















Cocoa Bean

Key Specifications:



High Air Delivery 225 m³/min



Speed 380 rpm



Sweep Size 1.2 m (1200 mm)









Striker®One

- Superior high permeability grade electric steel lamination for improved life
- · Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption



Chocolate

Grey



High Air Delivery 225 m³/min



Speed 380 rpm

Spanish

Green



















UNIVERSAL FANS

Good looks, great quality make these fans no-nonsense, do good machines. Optimal speeds, attractive looks and efficient functioning make them the all-time favourites any day.





- · High lift angle of blade for wider air spread
- Beautiful chrome rings and trims to complement the best in class performance
- Superior high permeability grade electric steel lamination for improved life
- · Performs well even at low voltage
- · Glossy powder coated paint for superior finish and longer life



Rich Brown



Rich Ivory



Rich White & Silver



Smoke Brown









Air Delivery 210 m³/min



High Speed 400 rpm



Sweep Size 1.2 m (1200 mm) Also available in 60 cm (600 mm) & 90 cm (900 mm) sweep sizes



- · High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Glossy powder coated paint for superior finish and longer life



Rich Brown



Rich Ivory



Rich Blue



Rich Red









Air Delivery 210 m³/min



High Speed 400 rpm



Sweep Size 1.2 m (1200 mm) Also available in 60 cm (600 mm) & 90 cm (900 mm) sweep sizes



UNIVERSAL FANS



Airostrong Angle®

- · High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- · Metallic paint for superior finish and longer life



Metallic White



Metallic Ivory



Metallic Black



Metallic luxon Gold Black









220 m³/min



Air Delivery Sweep Size (1.2 m (1200 mm)



High Speed



Striker®

- Superior high permeability grade electric steel lamination for improved life
- High gloss powder coated paint for superior finish
- · High lift angle of blade for wider air spread
- Performs well even at low voltage
- High rpm and unique blade angle provides high air delivery & spread



Rich Brown



Rich Ivory



Matt Brown



Coffee Brown









Air Delivery 230 m³/min



High Speed 380 rpm



Sweep Size 1.2 m (1200 mm) Also available in sweep sizes of 60 cm (600 mm); 90 cm (900 mm); 1.05 m (1050 mm) & 1.4 m (1400 mm)







Swift Alpha Chrome®

- · Superior high permeability grade electric steel lamination for improved life
- · Beautiful chrome rings and trims to complement the best in class performance
- · High gloss powder coated paint for superior finish
- · High lift angle of blade for wider air spread
- Performs well even at low voltage



Rich Ivory



Smoke Brown



Rich White Gold



Smoke Grey











Air Delivery 210 m³/min Sweep Size 1.2 m (1200 mm)



350 rpm

Swift Alpha

- · Aerodynamic design
- High gloss powder coated paint for superior finish
- · High lift angle of blade for wider air spread
- · Performs well even at low voltage







Matt

Brown



Rich White




Smoke Grey



Vibrant Blue











Air Delivery 210 m³/min Sweep Size 1.2 m (1200 mm)



Speed 350 rpm



UNIVERSAL FANS



Allure[™] Deluxe

- · Wide tip blades for high air delivery and air spread
- Electroplated decoration for elegant looks
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- V2 grade ball bearing for whisper-quiet operation and durability



Rich Ivory



Brown



Charm Pink



Dew Grev



Rich White















Speed 340 rpm



Sweep Size 1.2 m (1200 mm) Also available in sweep sizes of 60 cm (600 mm); 90 cm (900 mm) & 1.4 m (1400 mm)



Allure[™] Deluxe 4 Blade

- · Wide tip blades for high air delivery and air spread
- Electroplated decoration for elegant looks
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- V2 grade ball bearing for whisper-quiet operation and durability



Rich Brown



Rich Ivory



Charm Pink



Dew Grey



Rich White











Air Delivery Sweep Size 225 m³/min (1200 mm)





Speed 330 rpm







- · High lift angle of blade for wider air spread
- · Low power consumption; ISI Marked and IS 374 marked
- · Glossy powder coated paint for superior finish and longer life
- Energy saving fan with power consumption of about 50 W
- Superior high permeability grade electric steel lamination for improved life





















Air Delivery 210 m³/min



Speed 330 rpm



Sweep Size 1.2 m (1200 mm) Also available in 1.4 m (1400 mm)



Striker Plus®

- Specially designed motor with wider blades for optimum air delivery and speed
- V2 grade ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for improved life
- Superior fan performance from energy saving motor
- · Superior grade electric steel lamination for long life







Rich White



Rich Ivory




Matt Brown















Air Delivery 220 m³/min Sweep Size 1.2 m (1200 mm)





370 rpm

UNIVERSAL FANS



Technix Plus[™]

- 3 Star BEE rated decorative fan with low power consumption of 43 W
- High lift angle of blade for wider air spread
- Saves electricity
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life



Brown Gold



Rich White



White Gold



Ivory Gold












Air Delivery 215 m³/min



Speed 330 rpm





Sweep Size 1.2 m (1200 mm)



Technical Specifications

| Serial No. | Sweep Size | Model Name | Air Delivery | Power Input | Speed |
|------------|------------------|----------------|--------------|-------------|---------|
| Ceiling F | ans | | | | |
| 1 | 1.2 m (1200 mm) | Heleous | 260 m³/min | 43 W | 310 rpm |
| 2 | 1.2 m (1200 mm) | EX9 Glo | 240 m³/min | 40 W | 300 rpm |
| 3 | 1.2 m (1200 mm) | EX9 | 240 m³/min | 85 W | 300 rpm |
| 4 | 1.2 m (1200 mm) | Grandiose | 225 m³/min | 55 W | 350 rpm |
| 5 | 1.32 m (1320 mm) | Aldora | 250 m³/min | 58 W | 260 rpm |
| 6 | 1.25 m (1250 mm) | Fontana Maple | 220 m³/min | 55 W | 300 rpm |
| 7 | 1.27 m (1270 mm) | Fontana One | 220 m³/min | 55 W | 300 rpm |
| 8 | 1.28 m (1280 mm) | Fontana Orchid | 220 m³/min | 55 W | 300 rpm |
| 9 | 1.23 m (1230 mm) | Fontana Lotus | 220 m³/min | 55 W | 300 rpm |
| 10 | 1.2 m (1200 mm) | Upsilon | 230 m³/min | 38 W | 310 rpm |
| 11 | 1.2 m (1200 mm) | Upsilon Plus | 230 m³/min | 38 W | 310 rpm |
| 12 | 1.2 m (1200 mm) | Upsilon Beta | 230 m³/min | 38 W | 310 rpm |
| 13 | 1.2 m (1200 mm) | Lambda | 240 m³/min | 38 W | 315 rpm |
| 14 | 1.2 m (1200 mm) | Lambda Plus | 240 m³/min | 38 W | 315 rpm |
| 15 | 1.2 m (1200 mm) | Lambda Beta | 240 m³/min | 38 W | 315 rpm |
| 16 | 1.2 m (1200 mm) | Phi | 240 m³/min | 38 W | 340 rpm |
| 17 | 1.2 m (1200 mm) | Phi Plus | 240 m³/min | 38 W | 340 rpm |
| 18 | 1.2 m (1200 mm) | Phi Beta | 240 m³/min | 38 W | 340 rpm |
| 19 | 1.2 m (1200 mm) | Rho | 235 m³/min | 35 W | 320 rpm |
| 20 | 1.2 m (1200 mm) | Rho Plus | 235 m³/min | 35 W | 320 rpm |
| 21 | 1.2 m (1200 mm) | Rho Beta | 235 m³/min | 35 W | 320 rpm |
| 22 | 1.2 m (1200 mm) | Pi | 240 m³/min | 40 W | 320 rpm |
| 23 | 1.2 m (1200 mm) | Pi Plus | 240 m³/min | 40 W | 320 rpm |
| 24 | 1.2 m (1200 mm) | Pi Beta | 240 m³/min | 40 W | 320 rpm |
| 25 | 1.2 m (1200 mm) | Kappa | 235 m³/min | 35 W | 320 rpm |
| 26 | 1.2 m (1200 mm) | Kappa Plus | 235 m³/min | 35 W | 320 rpm |
| 27 | 1.2 m (1200 mm) | Kappa Beta | 235 m³/min | 35 W | 320 rpm |
| 28 | 1.2 m (1200 mm) | Energia 32 | 220 m³/min | 32 W | 375 rpm |
| 29 | 1.2 m (1200 mm) | TechnoAir | 220 m³/min | 32 W | 350 rpm |
| 30 | 1.25m (1250 mm) | Daffodil | 240 m³/min | 58 W | 350 rpm |
| 31 | 1.25m (1250 mm) | Primrose | 225 m³/min | 56 W | 350 rpm |
| 32 | 1.25m (1250 mm) | Magnolia | 225 m³/min | 56 W | 350 rpm |
| 33 | 1.3 m (1300 mm) | Bellflower | 240 m³/min | 58 W | 300 rpm |
| 34 | 1.3 m (1300 mm) | Lily | 240 m³/min | 58 W | 280 rpm |
| 35 | 1.3 m (1300 mm) | Dahlia | 240 m³/min | 58 W | 260 rpm |

Technical Specifications

| Serial No. | Sweep Size | Model Name | Air Delivery | Power Input | Speed |
|------------|------------------|-----------------------|-------------------------|-------------|---------|
| Ceiling F | ans | | | | |
| 36 | 90 cm (900 mm) | Striker Galaxy | 150 m ³ /min | 45 W | 420 rpm |
| 37 | 1.05 m (1050 mm) | Striker Galaxy | 180 m³/min | 52 W | 380 rpm |
| 38 | 1.2 m (1200 mm) | Striker Galaxy | 230 m³/min | 56 W | 385 rpm |
| 39 | 1.4 m (1400 mm) | Striker Galaxy | 250 m³/min | 60 W | 315 rpm |
| 40 | 90 cm (900 mm) | Striker Platinum | 150 m³/min | 45 W | 420 rpm |
| 41 | 1.05 m (1050 mm) | Striker Platinum | 180 m³/min | 52 W | 380 rpm |
| 42 | 1.2 m (1200 mm) | Striker Platinum | 230 m³/min | 56 W | 385 rpm |
| 43 | 1.4 m (1400 mm) | Striker Platinum | 250 m³/min | 60 W | 315 rpm |
| 44 | 90 cm (900 mm) | Striker Millenium | 150 m³/min | 45 W | 420 rpm |
| 45 | 1.2 m (1200 mm) | Striker Millenium | 225 m³/min | 55 W | 380 rpm |
| 46 | 1.4 m (1400 mm) | Striker Millenium | 250 m³/min | 60 W | 315 rpm |
| 47 | 1.2 m (1200 mm) | Super Striker | 230 m³/min | 56 W | 385 rpm |
| 48 | 1.2 m (1200 mm) | Atom | 210 m³/min | 50 W | 330 rpm |
| 49 | 1.2 m (1200 mm) | Racer Chrome | 210 m³/min | 50 W | 400 rpm |
| 50 | 1.2 m (1200 mm) | Racer | 210 m³/min | 50 W | 400 rpm |
| 51 | 1.2 m (1200 mm) | Airostrong Angle | 220 m³/min | 54 W | 390 rpm |
| 52 | 1.2 m (1200 mm) | Swift | 210 m³/min | 50 W | 350 rpm |
| 53 | 1.2 m (1200 mm) | Swift Alpha Chrome | 210 m³/min | 50 W | 350 rpm |
| 54 | 1.2 m (1200 mm) | Striker One | 225 m³/min | 56 W | 380 rpm |
| 55 | 1.2 m (1200 mm) | Striker Neo | 225 m³/min | 55 W | 380 rpm |
| 56 | 90 cm (900 mm) | Striker | 135 m³/min | 43 W | 400 rpm |
| 57 | 1.05 m (1050 mm) | Striker | 180 m³/min | 49 W | 410 rpm |
| 58 | 1.2 m (1200 mm) | Striker | 230 m³/min | 55 W | 380 rpm |
| 59 | 1.4 m (1400 mm) | Striker | 250 m³/min | 60 W | 300 rpm |
| 60 | 1.2 m (1200 mm) | Allure Deluxe | 225 m³/min | 54 W | 340 rpm |
| 61 | 1.2 m (1200 mm) | Allure Deluxe 4 Blade | 225 m³/min | 55 W | 330 rpm |
| 62 | 1.2 m (1200 mm) | Swift Alpha | 210 m³/min | 50 W | 350 rpm |
| 63 | 1.2 m (1200 mm) | Energia Isl | 210 m³/min | 50 W | 310 rpm |
| 64 | 1.2 m (1200 mm) | Technix Plus | 215 m³/min | 43 W | 330 rpm |
| 65 | 1.2 m (1200 mm) | Striker Plus | 220 m³/min | 52 W | 370 rpm |

^{*}Colour and technical feature may vary across products.

SMART, SENSIBLE AND FLEXIBLE.

MANY FORMS OF COMFORT



PEDESTAL FANS • TABLE FANS • WALL FANS • EXHAUST FANS • SPECIAL APPLICATION FANS RANGE 2023 Edition

Presenting a wide range of companions for comfort. Fans designed to give soothing air to your liking. A series of Pedestal, Table, Wall and Exhaust fans that allow air to sway to your fancies. Be it indoor or outdoor, go ahead and enjoy the joy of comfortable air.

RANGE





Cyclotron®

With a Unique grill design to deliver super powerful air throw, USHA Cyclotron is the cutting edge 5 blade fan which not only gives you faster cooling but also comes with silent performance.





Helix®XT Hi-Speed

Ensuring high speed performance like this fan comes with an elegant body design and aerodynamic ABS blades to deliver higher air flow.



Speed 1200 rpm



Air Throw



Air Delivery 67 m³/min



Warranty



Sweep Size 40 cm (400 mm)



Speed 2200 rpm



2 Years Warranty





Air Delivery

100 m³/min

Sweep Size 40 cm (400 mm)

Available in: 🛞 White 😽 Black



Available in: & White



Maxx Air Ultra

Fan with aerodynamically balanced blades for better performance. Auto resettable thermal over load protector for durability. Jerk free movement with uniform oscillation.



Striker® Hi-Speed

Strike it big with this high performance fan. This high speed and high air delivery fan is specially designed to suit Indian weather conditions.



Speed 1350 rpm



Air Delivery 70 m³/min



Sweep Size 40 cm (400 mm)



Speed 2200 rpm



Air Delivery 100 m³/min



Sweep Size 40 cm (400 mm)









Available in: % White 😽 Light Blue 💑 Maroon 💑 Golden



Available in: 🛞 White



Colossus

Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and High air delivery.



Pentacool®

Introducing Pentacool 5 blade fans with quiet performance, smooth air flow and high air delivery, experience the magic of 5 blades.



Speed 1320 rpm



Air Delivery 92 m³/min



Sweep Size 40 cm (400 mm)



Speed 1350 rpm



2 Years Warranty



Air Delivery 85 m³/min



Sweep Size 40 cm (400 mm)















Available in: - Black & Grey - White & Blue



Common Features: > 100% Copper motor for longer performance Anti-Rust protection with plastic blades Aerodynamic blade design for high air delivery



Mist Air Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.



Mist Air®lcy with Remote

The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer and 5 blade high speed function for icy cool comfort.



Speed 1350 rpm



Air Delivery 70 m³/min



Sweep Size 40 cm (400 mm)



Speed 1280 rpm

2 Years Warranty



Air Delivery 67 m³/min



Sweep Size 40 cm (400 mm)













Available in: 🛞 White



MaxxAir®

Experience icy cool comfort and assured safety in this elegant dual color fan with a resettable fuse and easy tilting mechanism.




Speed 1350 rpm





Sweep Size 40 cm (400 mm)





















Farrata®

Usha Farrata with its powerful 500 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.



Farrata® EX

Farrata Ex comes with a heavy duty rugged motor and 500 mm metal blades to create powerful air flow in a wide area.



Speed 1400 rpm



2 Years Warranty

Available in: 💑 Grey



Air Delivery 90 m³/min



Sweep Size 50 cm (500 mm)



Speed 1400 rpm



2 Years Warranty

Available in: 💑 Grey



Air Delivery 100 m³/min



Sweep Size 50 cm (500 mm)



Farrata VX

Usha Farrata VX with its powerful 508 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.



Jet Dlx Oscillating®

457.2 mm metal blades, a powerful sturdy motor and wide oscillation. That's what makes Jet Dlx the perfect fan for high air flow.



Speed 1350 rpm







Air Delivery 100 m³/min



Sweep Size 50 cm (500 mm)



Speed 1400 rpm



1 Year Warranty

Available in: 😽 Steel Grey



Sweep Size 45 cm (450 mm)

TABLE FANS

Bring home the perfect company for your balcony, study or your kitchen. Compact and easy to carry, these table fans are the best bet anytime, anywhere. With a wide variety of sweeps, speeds and designs, go ahead and personalise air to your convenience.

Delco



Striker® Hi-Speed

Strike it big with this high performance fan. The high speed and high air delivery fan is specially designed to suit Indian weather conditions.



Mist Air®Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience







Air Delivery 98 m³/min



Sweep Size 40 cm (400 mm)

















Available in: 🛞 White



MaxxAir®

Experience maximum comfort and assured safety in this elegant dual color fan with aerodynamic polypropylene blades for better air delivery and an easy tilting mechanism.



Maxx Air Ultra

Fan with aerofoil plastic blades for high air delivery and auto thermal protection. Jerk free movement with uniform oscillation.



Speed 1350 rpm



Air Delivery 70 m³/min



Sweep Size 40 cm (400 mm)



Speed 1350 rpm

2 Years Warranty



Air Delivery 70 m³/min



Sweep Size 40 cm (400 mm)



2 Years Warranty

































Striker®Hi-Speed

Striker is now back with high speed and high air delivery. This fan is specially designed to suit Indian weather conditions. Easy operations with pull cord for speed and oscillation regulation.



Speed 2100 rpm

2 Years Warranty



Air Delivery 100 m³/min



Sweep Size 30 cm (300 mm) Also Available In 40 cm (400 mm) sweep size.

Available in: 🛞 White



Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and high air delivery



Pentacool

Introducing Pentacool 5 blade fans with quiet performance, smooth air flow and high air delivery, experience the magic of 5 blades



Speed 1320 rpm



Air Delivery 92 m³/min



Sweep Size 40 cm (400 mm)



Speed 1350 rpm

2 Years



Air Delivery 85 m³/min



Sweep Size 40 cm (400 mm)












Warranty









Mist Air®lcy With Remote

The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer function for icy cool comfort.



Mist Air® Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.



Speed 1280 rpm

2 Years Warranty



Air Delivery 67 m³/min



Sweep Size 40 cm (400 mm)



Speed 1350 rpm



Air Delivery 70 m³/min



Sweep Size 40 cm (400 mm)

Available in: 🛞 White









Maxx Air Ultra

Fan with aerofoil plastic blades for high air delivery and auto thermal protection. Jerk free movement with uniform oscillation.



MaxxAir®

Experience maximum comfort and assured safety in this elegant fan with a resettable fuse and easy tilting mechanism.



Speed 1350 rpm



Air Delivery 70 m³/min



Sweep Size 40 cm (400 mm)



Speed 1350 rpm



Air Delivery 70 m³/min




Sweep Size 40 cm (400 mm)





























EXHAUST FANS

Usha's range of exhaust fans control the quality of the air in an enclosed space by getting rid of smoke, moisture, fumes and odour.

Their automatic front/back shutter and rust proof body also ensure a healthy and happy environment overall.





Crisp Air Premia® CV

Suitable for false ceilings, this trendy, automatic back shutter exhaust fan is designed to complement a modern home. Available in 260 X 260 frame size.

| * | \pi | 53 | 2 |
|----------------|--------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 12 cm (120 mm) | 100 m³/h | 1050 rpm | 2 years |



Crisp Air Premia® AS Plus

Low noise, high rpm exhaust fan with strong air suction. This automatic front shutter exhaust is ideal for window and wall mounted indoor installations.

| * | \text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\\\ \text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\}\tittt{\text{\text{\text{\text{\text{\text{\text{\text{\texi}}\tittt{\text{\text{\text{\text{\text{\ti}}\tittt{\text{\ti}\tittt{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\tittith{\text{\texi}\text{\text{\texi}\tittit{\text{\texi}\tittt{\tititt{\text{\texi}\text{\text{\texi}\tint{\text{\texi}\text{\ | K.7. K.Y. | 2 |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 15 cm (150 mm) | 220 m³/h | 1800 rpm | 2 years |



Crisp Air Premia BV

Suitable for your bathroom or kitchen, this stylish exhaust fan comes with an automatic front shutter with low noise feature. Ideal for glass window mounting.

| * | P | 53 | ["2"] |
|----------------|-----------------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 10 cm (100 mm) | 70 m ³ /h | 2250 rpm | 2 years |
| 15 cm (150 mm) | 210 m ³ /h | 1350 rpm | 2 years |



Crisp Air™ VX

With special blade design for higher suction this lightweight exhaust fan is low on noise and high on fresh air delivery. This fan is suitable for any domestic usage.

| 2 |
|----------|
| Warranty |
| 2 years |
| 2 years |
| 2 years |
| |

Available in: 😞 White 😽 Black



Crisp Air™AX

Refresh the air around you with this stylish plastic exhuast which comes in attractive colors and a back shutter. This fan is suitable for any domestic usage.

| * | P | 5.7 2.5 | 2 |
|----------------|--------------|------------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 10 cm (100 mm) | 140 m³/h | 2400 rpm | 2 years |
| 15 cm (150 mm) | 250 m³/h | 2280 rpm | 2 years |

Available in: 🛞 White 🛞 Ivory



Crisp Air Premia® AF

Designed to get noticed, this exhaust fan comes with hidden blades and easy screwless installation for low noise performance. Ideal for mounting on a wall, ceiling or glass.

| * | P | 5.7 2.9 | 2 |
|----------------|--------------|------------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 15 cm (150 mm) | 350 m³/h | 1800 rpm | 2 years |

Available in: & White & Ivory 🛼 Stainless Steel



Striker®Hi-Speed

Redefining the future of high performance, USHA Striker Exhaust Fan operates at an ultra high speed to give you a fresh experience 70% faster. Moreover, its 100% Copper motor with ball bearings, making sure the operation is as quiet as possible.

| 44 | P | K 78 | 2 |
|----------------|--------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 15 cm (150 mm) | 450 m³/h | 2350 rpm | 2 years |





Turbo® Heavy Duty

This ISI: 2312 Marked heavy duty motor metal exhaust fan is specially designed for industrial use. Available in multiple sizes, speeds and in single phase and 3 phase motors.

| * | ¥ | 23 | 2 |
|----------------|-----------------------------|--------------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 30 cm (300 mm) | 1145/1710 m ³ /h | 900/1400 rpm | 2 years |
| 38 cm (380 mm) | 2000/3200 m ³ /h | 900/1400 rpm | 2 years |
| 45 cm (450 mm) | 3900/6120 m ³ /h | 900/1400 rpm | 2 years |
| 60 cm (600 mm) | 7100/9400 m ³ /h | 700/900 rpm | 2 years |



Aeroclean®

Aeroclean Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy.

| * | \tilde{\pi} | 53 | 2 |
|----------------|-----------------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 23 cm (230 mm) | 700 m ³ /h | 1350 rpm | 2 years |
| 30 cm (300 mm) | 1050 m³/h | 1350 rpm | 2 years |



Aeroclean® Plus

Aeroclean Plus Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy. Packed with heavy duty motor with double ball bearing for longer performance and durability.

| * | \tilde{\pi} | 53 | 2 |
|----------------|------------------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 23 cm (230 mm) | 750 m³/h | 1400 rpm | 2 years |
| 30 cm (300 mm) | 1600 m ³ /h | 1370 rpm | 2 years |



Aeroclean® Pro

Aeroclean Pro high speed exhaust fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of Oil and dust on the blades. They will make your kitchen easy to clean and healthy. High speed exhaust fans for excellent performance.

| * | P | 53 | 2 |
|----------------|------------------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 15 cm (150 mm) | 350 m³/h | 2400 rpm | 2 years |
| 23 cm (230 mm) | 1000 m ³ /h | 2500 rpm | 2 years |

SPECIAL FANS

Charm your guests with this one-of-a-kind special application range of fans. They will surprise you with their unique and exclusive features like superior air circulation, sleek design and efficient air delivery.



Mist Air®Prime

Personlize your comfort with Usha's tower fan. Its 2 hours manual timer, tubular blower and wide oscillation make air flow efficient and effective.

| * | P | K.7. | 1 |
|------------|--------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| NA | 20 m³/min | 1300 rpm | 1 year |



Mist Air® Icy Rotocab

A ceiling mounted fan with a 360 degree oscillation providing wide air coverage and aerodynamically designed blades for better air delivery. This personal fan comes with the convenience of easy assembly.

| * | * | K X X | 2 |
|----------------|--------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 40 cm (400 mm) | 65 m³/h | 1260 rpm | 2 years |



Dynamo®

A high speed personal fan which can be installed on the wall, table or ceiling. Personlize your comfort with multi-tilting mechanism and easy portability.

| * | * | 53 | [1] |
|----------------|--------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 23 cm (230 mm) | 1100 m³/h | 2650 rpm | 1 year |



Dominaire® Wall

Designed for heavy industrial use, this air circulator has been built aerodynamically with precision built oscillating mechanism and conforms to ISI standards.

| * | 9 | K.71 2/3 | [1] |
|----------------|-------------------------|-------------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 45 cm (450 mm) | 150 m³/min | 1440 rpm | 1 year |
| 60 cm (600 mm) | 270 m³/min | 1440 rpm | 1 year |
| 75 cm (750 mm) | 400 m ³ /min | 1440 rpm | 1 year |

Performance conforms to IS: 2997-1964 standards



Dominaire Pedestal

Heavy duty performance guaranteed in this pedestal fan with a cast iron base for greater stability and aluminium alloy blades for high air delivery. ISI marked.

| * | \tilde{\pi} | 53 | [1] |
|----------------|--------------------|----------|----------|
| Sweep Size | Air Delivery | rpm | Warranty |
| 45 cm (450 mm) | 150 m³/min | 1440 rpm | 1 year |
| 60 cm (600 mm) | 270 m³/min | 1440 rpm | 1 year |
| 75 cm (750 mm) | 400 m³/min | 1440 rpm | 1 year |

Performance conforms to IS: 2997-1964 standards

Technical Specifications

| Serial No. | Sweep Size | Model Name | Air Delivery | Power Input | Speed | | |
|------------|----------------|--------------------------|--------------|-------------|----------|--|--|
| Pedestal | Pedestal Fans | | | | | | |
| 66 | 40 cm (400 mm) | Cyclotron | 67 m³/min | 55 W | 1200 rpm | | |
| 67 | 40 cm (400 mm) | Helix XT | 100 m³/min | 120 W | 2300 rpm | | |
| 68 | 40 cm (400 mm) | Maxx Air Ultra | 70 m³/min | 55 W | 1350 rpm | | |
| 69 | 40 cm (400 mm) | Striker Hi-Speed | 100 m³/min | 135 W | 2200 rpm | | |
| 70 | 40 cm (400 mm) | Colossus | 92 m³/min | 70 W | 1320 rpm | | |
| 71 | 40 cm (400 mm) | Pentacool | 85 m³/min | 70 W | 1350 rpm | | |
| 72 | 40 cm (400 mm) | Mist Air Flo | 70 m³/min | 55 W | 1350 rpm | | |
| 73 | 40 cm (400 mm) | Mist Air Icy with Remote | 67 m³/min | 55 W | 1280 rpm | | |
| 74 | 40 cm (400 mm) | MaxxAir | 67 m³/min | 55 W | 1350 rpm | | |
| 75 | 50 cm (500 mm) | Farrata VX | 100 m³/min | 150 W | 1350 rpm | | |
| 76 | 50 cm (500 mm) | Farrata | 90 m³/min | 160 W | 1400 rpm | | |
| 77 | 50 cm (500 mm) | Farrata EX | 100 m³/min | 160 W | 1400 rpm | | |
| 78 | 45 cm (450 mm) | Jet DLX Oscillating | 90 m³/min | 120 W | 1400 rpm | | |
| 79 | 45 cm (450 mm) | Cheetah DLX | 90 m³/min | 130 W | 2600 rpm | | |

| Serial No. | Sweep Size | Model Name | Air Delivery | Power Input | Speed |
|------------|----------------|------------------|--------------|-------------|----------|
| Table Far | ns | | | | |
| 80 | 40 cm (400 mm) | Striker Hi-Speed | 98 m³/min | 120 W | 2100 rpm |
| 81 | 40 cm (400 mm) | Mist Air Flo | 70 m³/min | 55 W | 1350 rpm |
| 82 | 40 cm (400 mm) | MaxxAir | 70 m³/min | 55 W | 1350 rpm |
| 83 | 40 cm (400 mm) | Maxx Air Ultra | 70 m³/min | 55 W | 1350 rpm |


| Serial No. | Sweep Size | Model Name | Air Delivery | Power Input | Speed |
|------------|----------------|--------------------------|-------------------------|-------------|----------|
| Wall Fans | | | | | |
| 84 | 40 cm (400 mm) | Cyclotron | 67 m³/min | 55 W | 1200 rpm |
| 85 | 40 cm (400 mm) | Helix XT | 100 m ³ /min | 120 W | 2300 rpm |
| 86 | 40 cm (400 mm) | Striker Hi-Speed | 98 m³/min | 120 W | 2100 rpm |
| 87 | 30 cm (300 mm) | Striker Hi-Speed | 75 m³/min | 100 W | 2100 rpm |
| 88 | 40 cm (400 mm) | Colossus | 92 m³/min | 70 W | 1320 rpm |
| 89 | 40 cm (400 mm) | Pentacool | 85 m³/min | 70 W | 1350 rpm |
| 90 | 40 cm (400 mm) | Mist air icy with remote | 67 m³/min | 55 W | 1280 rpm |
| 91 | 40 cm (400 mm) | Mist Air Flo | 70 m³/min | 55 W | 1350 rpm |
| 92 | 40 cm (400 mm) | MaxxAir | 70 m³/min | 55 W | 1350 rpm |
| 93 | 40 cm (400 mm) | Maxx Air Ultra | 70 m³/min | 55 W | 1350 rpm |

Technical Specifications

| Serial No. | Sweep Size | Model Name | Air Delivery | Power Input | Speed | |
|--------------|----------------|--------------------------|------------------------|-------------|----------|--|
| Exhaust Fans | | | | | | |
| 94 | 12 cm (120 mm) | Crisp Air Premia CV | 100 m ³ /h | 19 W | 1050 rpm | |
| 95 | 15 cm (150 mm) | Crisp Air Premia AS Plus | 220 m³/h | 24 W | 1800 rpm | |
| 96 | 10 cm (100 mm) | Crisp Air Premia BV | 70 m³/h | 12 W | 2250 rpm | |
| 97 | 15 cm (150 mm) | Crisp Air Premia BV | 210 m³/h | 21 W | 1350 rpm | |
| 98 | 15 cm (150 mm) | Crisp Air VX | 230 m³/h | 30 W | 1400 rpm | |
| 99 | 20 cm (200 mm) | Crisp Air VX | 530 m³/h | 35 W | 1400 rpm | |
| 100 | 25 cm (250 mm) | Crisp Air VX | 750 m³/h | 40 W | 1350 rpm | |
| 101 | 10 cm (100 mm) | Crisp Air AX | 140 m³/h | 30 W | 2400 rpm | |
| 102 | 15 cm (150 mm) | Crisp Air AX | 250 m³/h | 40 W | 2280 rpm | |
| 103 | 15 cm (150 mm) | Crisp Air Premia AF | 250 m³/h | 24 W | 2100 rpm | |
| 104 | 15 cm (150 mm) | Striker High Speed | 450 m³/h | 44 W | 2350 rpm | |
| 105 | 20 cm (200 mm) | Striker High Speed | 800 m³/h | 60 W | 2100 rpm | |
| 106 | 15 cm (150 mm) | Aeroclean Pro | 350 m³/h | 42 W | 2400 rpm | |
| 107 | 23 cm (230 mm) | Aeroclean Pro | 1000 m³/h | 65 W | 2500 rpm | |
| 108 | 23 cm (230 mm) | Aeroclean Plus | 750 m³/h | 45 W | 1400 rpm | |
| 109 | 30 cm (300 mm) | Aeroclean Plus | 1600 m³/h | 72 W | 1370 rpm | |
| 110 | 23 cm (230 mm) | Aeroclean | 700 m³/h | 42 W | 1350 rpm | |
| 111 | 30 cm (300 mm) | Aeroclean | 1050 m³/h | 55 W | 1350 rpm | |
| 112 | 30 cm (300 mm) | Turbo Heavy Duty | 1145 m³/h | 55 W | 900 rpm | |
| 113 | 30 cm (300 mm) | Turbo Heavy Duty | 1710 m³/h | 90 W | 1400 rpm | |
| 114 | 38 cm (380 mm) | Turbo Heavy Duty | 2000 m ³ /h | 100 W | 900 rpm | |
| 115 | 38 cm (380 mm) | Turbo Heavy Duty | 3200 m³/h | 160 W | 1400 rpm | |
| 116 | 45 cm (450 mm) | Turbo Heavy Duty | 3900 m³/h | 145 W | 900 rpm | |
| 117 | 45 cm (450 mm) | Turbo Heavy Duty | 6120 m³/h | 410 W | 1400 rpm | |
| 118 | 60 cm (600 mm) | Turbo Heavy Duty | 7100 m³/h | - | 700 rpm | |
| 119 | 60 cm (600 mm) | Turbo Heavy Duty | 9400 m³/h | 550 W | 900 rpm | |

| Serial No. | Sweep Size | Model Name | Air Delivery | Power Input | Speed |
|------------|----------------|----------------------|--------------|-------------|----------|
| Special Fa | ans | | | | |
| 120 | N/A | Mist Air Prime | 20 m³/min | 35 W | 1300 rpm |
| 121 | 40 cm (400 mm) | Mist Air Icy Rotocab | 65 m³/min | 50 W | 1260 rpm |
| 122 | 23 cm (230 mm) | Dynamo | 1100 CMH | 58 W | 2650 rpm |
| 123 | 45 cm (450 mm) | Dominaire Wall | 150 m³/min | 100 W | 1440 rpm |
| 124 | 60 cm (600 mm) | Dominaire Wall | 270 m³/min | 180 W | 1440 rpm |
| 125 | 75 cm (750 mm) | Dominaire Wall | 400 m³/min | 250 W | 1440 rpm |
| 126 | 45 cm (450 mm) | Dominaire Pedestal | 150 m³/min | 100 W | 1440 rpm |
| 127 | 60 cm (600 mm) | Dominaire Pedestal | 270 m³/min | 180 W | 1440 rpm |
| 128 | 75 cm (750 mm) | Dominaire Pedestal | 400 m³/min | 250 W | 1440 rpm |

*Colour and technical feature may vary across products.





ushafans.com

- facebook.com/FansbyUsha/
- ▼ twitter.com/UshaIntl
- instagram.com/usha_international/

1800-1033-111 Toll Free

Terms and conditions:

Colours and graphics shown are for representation purpose only, actual product colours may vary. Conditions apply. Due to innovation/Technical improvements, the specifications are subject to change without prior notice.