

TECNO

POVA 5G

User Manual

دليل المستخدم

Manuel d'utilisateur

Mobile Phone
Model: LE8

Hereby, TECNO MOBILE LIMITED declares that this Mobile Phone is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.


دليل المستخدم

طراز الهاتف: LE8

بموجب هذه الوثيقة، تعلن شركة TECNO MOBILE LIMITED بأن هذا الهاتف يمثل للمتطلبات الأساسية والأحكام التوجيهية ذات الصلة 2014/53/الاتحاد الأوروبي.

Téléphone portable
Modèle: LE8

Par la présente, TECNO MOBILE LIMITED déclare que ce téléphone mobile est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive 2014/53/UE.



1. Front camera
2. Volume + key
3. Volume - key
4. Power key & side fingerprint sensor

1. الكاميرا الأمامية
2. مفتاح زيادة مستوى الصوت
3. مفتاح خفض مستوى الصوت
4. مفتاح الإيقاف و التشغيل و مستشعر بصمة الإصبع الجانبي


1. Appareil photo frontal
2. Bouton de volume +
3. Bouton de volume -
4. Bouton d'alimentation et capteur d'empreintes latéral

Installation de la carte SIM/SD

1. Power off mobile.
2. Refer to the following picture for SIM / SD card installation.

1. قم بإيقاف تشغيل الهاتف
2. أدخل بطاقة SIM وبطاقة الذاكرة كما هو مبين في الصورة.


1. Éteignez le mobile.
2. Reportez-vous à l'image suivante pour l'installation de la carte SIM/SD.



Charging the phone

You can charge your device using a charger or by connecting it to the computer using a USB cable (comes with the phone).


Use only TECNO charger and cables. Other chargers or cables may damage the device. This will invalidate your phone warranty.



شحن الهاتف


يمكنك شحن جهازك باستخدام شاحن أو عن طريق توصيله بجهاز الكمبيوتر باستخدام كبل USB (يتوفر مع الهاتف).

استخدم فقط كابلات أو شاحن TECNO. قد تتسبب الشواحن أو الكابلات المختلفة في تلف الجهاز. وهذا من شأنه أن يُبطل ضمان هاتفك.



Charger le téléphone

Vous pouvez charger votre appareil à l'aide d'un chargeur ou en le connectant à l'ordinateur à l'aide d'un câble USB (fourni avec le téléphone). Utilisez uniquement le chargeur et les câbles TECNO. D'autres chargeurs ou câbles peuvent endommager l'appareil. Cela annulera la garantie de votre téléphone.



This device may be restricted for use, depending on the local network.

Restrictions in the 5GHz band:

According to 10(10) of Directive 2014/53/EU, the packaging shows that this radio equipment will be subject to some restrictions when placed on the market in Belgium (BE), Bulgaria (BG), Czech Republic (CZ), Denmark (DK), Germany (DE), Estonia (EE), Ireland (IE), Greece (EL), Spain (ES), France (FR), Croatia (HR), Italy (IT), Cyprus (CY), Latvia (LV), Lithuania (LT), Luxembourg (LU), Hungary (HU), Malta (MT), Netherlands (NL), Austria (AT), Poland (PL), Portugal (PT), Romania (RO), Slovenia (SI), Slovakia (SK), Finland (FI), Sweden (SE), Norway (NO), the United Kingdom in respect of Northern Ireland (UK(NI)), Iceland (IS), Liechtenstein (LI), Switzerland (CH) and Turkey (TR).

The WLAN function for this device is restricted to indoor use due to its operation in the 5.15 to 5.35 GHz frequency range.

Operating Frequency (RF):

E-GSM900: 880-915MHz (TX),

925-960MHz (RX);

DCS1800: 1710-1785 MHz (TX), 1805-1880 MHz (RX);

WCDMA BAND I:1920-1980 MHz (TX),

2110-2170 MHz (RX);

WCDMA BAND VIII: 880-915MHz (TX),

925-960MHz (RX);

LTE Band 1: 1920-1980MHz(TX),

2110-2170MHz (RX);

LTE Band 3: 1710-1785MHz(TX),

1805-1880MHz (RX);

LTE Band 7: 2500-2570 MHz(TX),

2620-2690 MHz(RX);

LTE Band 8: 880-915MHz (TX),

925-960MHz (RX);

LTE Band 20: 832-862 MHz(TX), 791-821

MHz(RX);

LTE Band 28: 703-736 MHz (TX),758-791

MHz (RX);

LTE Band 38: 2570-2620MHz (TX),

2570-2620MHz (RX);

LTE Band 40: 2300-2400MHz(TX/RX);

NR N1:1920-1980MHz (TX),

2110-2170MHz (RX);

NR N3:1710-1785MHz (TX),

1805-1880MHz (RX);

NR N7:2500-2570 MHz (TX),2620-2690

MHz (RX);

NR N8: 880-915 MHz (TX),925-960 MHz

(RX);

NR N20:832-862 MHz (TX),791-821 MHz

(RX);

NR N28: 703-748 MHz (TX),758-803 MHz

(RX);

NR N38:2570-2620MHz(TX),
2570-2620MHz(RX),
NR N41:2535-2655 MHz(TX), 2535-2655
MHz(RX),
NR N77:3300-4200 MHz(TX),3300-4200
MHz(RX),
NR N78:3300-3800 MHz(TX),3300-3800
MHz(RX),
ENDC:3-N41/1-N78/3-N78/8-N78
BT: 2402-2480 MHz (TX/RX);
Wi-Fi(2.4G): 2412-2472 MHz (TX/RX);
Wi-Fi (5G): Band 1: 5150-5250 MHz
(TX/RX);
Band 2: 5250-5350 MHz(TX/RX);
Band 3: 5470-5725 MHz(TX/RX);
Band 4: 5725-5875 MHz (TX/RX);
GPS:1.57542GHz(RX);
FM:87.5-108 MHz(RX);

Modulation mode:

GMSK,8PSK(GSM)
BPSK,QPSK,16QAM(WCDMA)
QPSK,16-QAM,64-QAM (LTE)
DFT-BPSK,DFT-QPSK,DFT-16QAM,DFT-64Q
AM,DFT-256QAM
CP-BPSK,CP-QPSK,CP-16QAM,
CP-64QAM, CP-256QAM(NR)
GFSK, $\pi/4$ - DQPSK, 8DPSK (BT)
GFSK(BLE)
DSSS (DBPSK, DQPSK, CCK) for IEEE
802.11b
OFDM(BPSK,QPSK,16QAM,64QAM) for
IEEE 802.11g
IEEE 802.11a/n/ac: OFDM (BPSK / QPSK
/ 16QAM / 64QAM / 256QAM)
IEEE802.11ax:OFDMA

(BPSK/QPSK/16QAM/64QAM/256QAM/1024QAM)

BPSK(GPS)

FM(FM)

RF Output power:

GSM900:33dBm±2dB

GSM1800:30dBm±2dB

WCDMA BAND

I/VIII:24dBm+1.7dB/-3.7dB

LTE

BAND1/3/7/8/20/28/38/40:23dBm+2.7dB /-2.7dB

5G NR SA :26dBm+3dB/-4dB

5G NR NSA:23dBm+3dB/-4dB

BT:0-10dBm

Wi-Fi:14dBm +/-3dB

Specific Absorption Rate (SAR)

Certification

THIS DEVICE MEETS INTERNATIONAL GUIDELINES FOR EXPOSURE TO RADIO WAVES

Body parts	Test value	Test distance	Limit
Head	1.644 W/Kg 10g	0cm	2.0 W/Kg 10g
Body	1.018 W/Kg 10g	0.5cm	2.0 W/Kg 10g

CAUTION :

1. Use careful with the earphone maybe excessive sound pressure from earphones and headphones can cause hearing loss.
2. Risk of explosion if battery is replaced by an incorrect type, dispose of used batteries according to the instructions.
 - disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion;
 - leaving a battery in an extremely high temperature surrounding environment that can result in an explosion or the leakage of flammable liquid or gas;
 - a battery subjected to extremely low air pressure that may result in an explosion or the leakage of flammable liquid or gas.
3. The product shall only be connected to a USB interface of version USB 2.0.
4. Adapter shall be installed near the equipment and shall be easily accessible.
5. EUT Temperature: $-10^{\circ}\text{C} \sim +65^{\circ}\text{C}$ (Standalone). $5 \sim +40^{\circ}\text{C}$ (with adapter).
6. Adapter1: U180TED
 - Input: 100-240V 50/60Hz 0.6A
 - Output: 5.0V/2.4A 7.5V/2.4A 18.0W Max
- Adapter2: U180TKA
 - Input: 100-240V 50/60Hz 0.6A
 - Output: 5V /2.4A 7.5V/2.4A 18.0W Max

7. The device complies with RF specifications when the device used at 5 mm from your body, and the holder must not be of metal composition)
8. To prevent possible hearing damage, do not listen at high volume levels for long periods.
9. Earphone and USB cable are shielded.



Figure 1-Warning label (IEC 60417-6044)

TECNO

HiOS runs on Android™ OS.
Android is a trademark of Google LLC.